

Local Coverage Determination (LCD): Major Joint Replacement (Hip and Knee) (L33618)

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

Contractor Information

CONTRACTOR NAME	CONTRACT TYPE	CONTRACT NUMBER	JURISDICTION	STATE(S)
First Coast Service Options, Inc.	A and B MAC	09101 - MAC A	J - N	Florida
First Coast Service Options, Inc.	A and B MAC	09102 - MAC B	J - N	Florida
First Coast Service Options, Inc.	A and B MAC	09201 - MAC A	J - N	Puerto Rico Virgin Islands
First Coast Service Options, Inc.	A and B MAC	09202 - MAC B	J - N	Puerto Rico
First Coast Service Options, Inc.	A and B MAC	09302 - MAC B	J - N	Virgin Islands

LCD Information

Document Information

LCD ID

L33618

Original Effective Date

For services performed on or after 10/01/2015

LCD Title

Major Joint Replacement (Hip and Knee)

Revision Effective Date

For services performed on or after 01/08/2019

Proposed LCD in Comment Period

N/A

Revision Ending Date

N/A

Source Proposed LCD

N/A

Retirement Date

N/A

AMA CPT / ADA CDT / AHA NUBC Copyright Statement

CPT codes, descriptions and other data only are copyright 2019 American Medical Association. All Rights Reserved. Applicable FARS/HHSARS apply.

Notice Period Start Date

N/A

Notice Period End Date

N/A

Current Dental Terminology © 2019 American Dental Association. All rights reserved.

Copyright © 2019, the American Hospital Association, Chicago, Illinois. Reproduced with permission. No portion of the AHA copyrighted materials contained

within this publication may be copied without the express written consent of the AHA. AHA copyrighted materials including the UB-04 codes and descriptions may not be removed, copied, or utilized within any software, product, service, solution or derivative work without the written consent of the AHA. If an entity wishes to utilize any AHA materials, please contact the AHA at 312-893-6816. Making copies or utilizing the content of the UB-04 Manual, including the codes and/or descriptions, for internal purposes, resale and/or to be used in any product or publication; creating any modified or derivative work of the UB-04 Manual and/or codes and descriptions; and/or making any commercial use of UB-04 Manual or any portion thereof, including the codes and/or descriptions, is only authorized with an express license from the American Hospital Association. To license the electronic data file of UB-04 Data Specifications, contact Tim Carlson at (312) 893-6816 or Laryssa Marshall at (312) 893-6814. You may also contact us at ub04@healthforum.com.

CMS National Coverage Policy

This LCD supplements but does not replace, modify or supersede existing Medicare applicable National Coverage Determinations (NCDs) or payment policy rules and regulations for Major Joint Replacement (Hip and Knee). Federal statute and subsequent Medicare regulations regarding provision and payment for medical services are lengthy. They are not repeated in this LCD. Neither Medicare payment policy rules nor this LCD replace, modify or supersede applicable state statutes regarding medical practice or other health practice professions acts, definitions and/or scopes of practice. All providers who report services for Medicare payment must fully understand and follow all existing laws, regulations and rules for Medicare payment for Major Joint Replacement (Hip and Knee) and must properly submit only valid claims for them. Please review and understand them and apply the medical necessity provisions in the policy within the context of the manual rules. Relevant CMS manual instructions and policies may be found in the following Internet-Only Manuals (IOMs) published on the CMS Web site.

Internet Only Manual (IOM) Citations:

- CMS IOM Publication 100-08, *Medicare Program Integrity Manual*,
 - Chapter 6, Section 6.5.2 Conducting Patient Status Reviews of Claims for Medicare Part A Payment for Inpatient Hospital Admissions
 - Chapter 13, Section 13.5.4 Reasonable and Necessary Provision in an LCD

Social Security Act (Title XVIII) Standard References:

- Title XVIII of the Social Security Act, Section 1862(a)(1)(A) states that no Medicare payment shall be made for items or services which are not reasonable and necessary for the diagnosis or treatment of illness or injury.
- Title XVIII of the Social Security Act, Section 1862(a)(7). This section excludes routine physical examinations.
- Title XVIII of the Social Security Act, Section 1833(e) states that no payment shall be made to any provider for any claim that lacks the necessary information to process the claim.

Federal Register References:

- Code of Federal Regulations (CFR), Title 21, Volume 8, Chapter I, Subchapter H, Part 888 Orthopedic Devices.

Coverage Guidance

Coverage Indications, Limitations, and/or Medical Necessity

History/Background and/or General Information

Joint replacement surgery has been performed on millions of people over the past several decades and has proved to be an important medical advancement in the field of orthopedic surgery. The hip and knee are the two most commonly replaced joints. The knee is the largest joint in the body and includes the lower end of the femur, the upper end of the tibia and the patella. The knee joint has three compartments, the medial, the lateral and the patellofemoral. The surfaces of these compartments are covered with articular cartilage and are bathed in synovial fluid. The bones of the knee joint work together, allowing the knee to function smoothly. The hip is a large weight bearing joint made up of two components: a ball (femoral head) and socket (acetabulum). These components are covered with articular cartilage and are bathed in synovial fluid produced by a synovial membrane.

The most common reason for total knee replacement surgery is arthritis of the knee joint. Types of arthritis include osteoarthritis, rheumatoid arthritis and traumatic arthritis (arthritis which occurs as a result of injury). This arthritis causes a severe limitation in the activities of daily living, including difficulty with walking, squatting, and climbing stairs. Pain is typically most severe with activity and patients often have difficulty getting mobilized when seated for a long time. Other findings include chronic knee inflammation or swelling not relieved by rest, knee stiffness, lack of pain relief after taking non-steroidal anti-inflammatory medications and failure to achieve symptom improvement with other conservative therapies such as steroid injections and physical therapy. Osteonecrosis and malignancy are additional reasons to proceed with total knee replacement surgery. The goal of total knee replacement surgery is to relieve pain and improve or increase patient function.

Total hip replacement surgery is most often performed due to severe pain caused by osteoarthritis of the hip joint. Rheumatoid arthritis, traumatic arthritis, malignancy involving the hip joint and osteonecrosis of the femoral head are also causes for hip replacement surgery. The pain from the damaged joint usually limits activities of daily living, such as walking, bathing and cooking. The pain can also cause disruption of sleep due to the inability to lie on the hip while in bed. Pain relief not achieved by taking non-steroidal anti-inflammatory medications and failure to achieve symptom improvement with other conservative therapies such as physical therapy, activity modification and (in some patients) assistive device use are reasons for proceeding with a total hip replacement. The goal of total hip replacement surgery is to relieve pain and improve or increase patient function.

Occasionally, there may be a need to redo a total hip or total knee replacement. This is often referred to as a revision total knee or revision total hip. Circumstances that lead to the need for a revision total hip or knee are continued disabling pain, continued decline in function which can be attributed to failure of the primary joint replacement. Failure can be due to infection involving the joint, substantial bone loss in the structures supporting the prosthesis, fracture, aseptic loosening of the components and wear of the prosthetic components.

Covered Indications

Total knee replacement surgery will be considered medically necessary when one or more of the following criteria are met:

1. Total knee arthroplasty (TKA)

- Failure of a previous osteotomy; **or**
- Distal femur fracture; **or**
- Malignancy of the distal femur, proximal tibia, knee joint or adjacent soft tissues; **or**
- Failure of previous unicompartmental knee replacement; **or**
- Avascular necrosis of the knee; **or**
- Proximal tibia fracture; **or**
- Advanced joint disease demonstrated by:
 - Radiographic supported evidence or when conventional radiography is not adequate, magnetic resonance imaging (MRI) supported evidence (subchondral cysts, subchondral sclerosis, periarticular osteophytes, joint subluxation, joint space narrowing, avascular necrosis); **and**
 - Pain or functional disability from injury due to trauma or arthritis of the joint; and
 - Unsuccessful history of appropriate conservative therapy (non-surgical medical management) that is clearly addressed in the pre procedure medical record. Non surgical medical management is usually implemented for 3 months or more to assess effectiveness. Conservative treatment as clinically appropriate for the patient's current episode of care typically include one or more of the following: anti-inflammatory medications, analgesics, flexibility and muscle strengthening exercises, supervised physical therapy [Activities of daily living (ADLs) diminished despite completing a plan of care], activity restrictions as is reasonable, assistive device use, weight reduction as appropriate, therapeutic injections into the knee as appropriate.

2. Replacement/Revision total knee arthroplasty

- Disabling pain or functional disability; **or**
- Progressive and substantial bone loss; **or**
- Fracture or dislocation of the patella; **or**
- Infection; **or**
- Periprosthetic fracture or aseptic loosening; **or**
- Failure and wear of the prosthetic components; **or**
- Dislocation of the knee joint; **or**
- Instability of the knee joint

Total hip replacement surgery will be considered medically necessary when one or more of the following criteria are met:

3. Total hip arthroplasty (THA)

- Malignancy of the joint involving the bones or soft tissues of the pelvis or proximal femur; **or**
- Avascular necrosis (osteonecrosis of femoral head); **or**
- Fracture of the femoral neck; **or**
- Acetabular fracture; **or**
- Non-union or failure of previous hip fracture surgery; **or**
- Mal-union of acetabular or proximal femur fracture; **or**
- Advanced joint disease demonstrated by:
 - Radiographic supported evidence or when conventional radiography is not adequate, magnetic resonance imaging (MRI) supported evidence (subchondral cysts, subchondral sclerosis, periarticular osteophytes,

- joint subluxation, joint space narrowing, avascular necrosis); **and**
- Pain or functional disability from injury due to trauma or arthritis of the joint); **and**
 - Unsuccessful history of appropriate conservative therapy (non-surgical medical management) that is clearly addressed in the pre procedure medical record. Non surgical medical management is usually implemented for 3 months or more to assess effectiveness. Conservative treatment as clinically appropriate for the patient's current episode of care typically include one or more of the following:
 - anti-inflammatory medications, analgesics, flexibility and muscle strengthening exercises, supervised physical therapy [Activities of daily living (ADLs) diminished despite completing a plan of care], activity restrictions as is reasonable, assistive device use, weight reduction as appropriate.

4. Replacement/Revision total hip arthroplasty

- Instability of one or both components; **or**
- Fracture or mechanical failure of the implant; **or**
- Recurrent or irreducible dislocation; **or**
- Infection; **or**
- Treatment of a displaced periprosthetic fracture; **or**
- Clinically significant leg length inequality; **or**
- Progressive or substantial bone loss; **or**
- Clinically significant audible noise; **or**
- Adverse local tissue reaction

Limitations

Total knee replacement or total hip replacement will NOT be considered medically necessary when the following contraindications are present:

- Active infection of the hip or knee joint or active systemic bacteremia
- Active skin infection or open wound within the planned surgical site of the hip or knee
- Neuropathic arthritis
- Rapidly progressive neurological disease

This local coverage determination (LCD) is only addressing medical necessity criteria for performing total hip and knee replacement surgery. With respect to knee replacement surgery, there is a form of knee joint replacement surgery called unicompartmental knee replacement. This is typically done for patients with osteoarthritis of the knee in which the damage is contained to one compartment of the knee. The indications outlined in this LCD are not to be applied for unicompartmental knee replacement surgery. Failed previous unicompartmental joint replacement is an indication for performing a total knee arthroplasty.

Unsuccessful conservative therapy (non-surgical medical management). The documentation should demonstrate a history of a reasonable attempt (usually 3 months or more) at conservative therapy as appropriate for the patient in their current episode of care. For example, documented trial of NSAIDs or contraindication to such therapy and/or documented supervised physical therapy. Documentation should support that ADLs are diminished due to pain and/or disability despite non-surgical medical management.

The devices/implants for total knee and total hip replacement surgeries are regulated by the FDA as medical devices. The devices used should be class II or class III devices that meet the requirements as outlined in the CFR, Title 21, Volume 8, Chapter I, Subchapter H, Part 888 Orthopedic Devices.

As published in the CMS IOM Publication 100-08, *Medicare Program Integrity Manual*, Chapter 13, Section 13.5.4, an item or service may be covered by a contractor LCD if it is reasonable and necessary under the Social Security Act Section 1862 (a)(1)(A). Contractors shall determine and describe the circumstances under which the item or service is considered reasonable and necessary.

Provider Qualifications

The CMS Manual System, Pub. 100-08, *Medicare Program Integrity Manual*, Chapter 13, Section 13.5.4 outlines that "reasonable and necessary" services are "ordered and furnished by qualified personnel." Services will be considered medically reasonable and necessary only if performed by appropriately trained providers. This training and expertise must have been acquired within the framework of an accredited residency and/or fellowship program in the applicable specialty/subspecialty or must reflect extensive continued medical education activities. If these skills have been acquired by way of continued medical education, the courses must be comprehensive, offered or sponsored or endorsed by an academic institution in the United States and/or by the applicable specialty/subspecialty society in the United States, and designated by the American Medical Association (AMA) as Category 1 Credit.

Summary of Evidence

N/A

Analysis of Evidence (Rationale for Determination)

N/A

General Information

Associated Information

Documentation Requirements

Please refer to the Local Coverage Article: Billing and Coding: Major Joint Replacement (Hip and Knee) (A57765) for documentation requirements that apply to the reasonable and necessary provisions outlined in this LCD.

Utilization Guidelines

Please refer to the Local Coverage Article: Billing and Coding: Major Joint Replacement (Hip and Knee) (A57765) for utilization guidelines that apply to the reasonable and necessary provisions outlined in this LCD.

Sources of Information

First Coast Service Options, Inc. reference LCD number(s)–L32081

Ackerman, I., Bennell, K., and Osborne, R. (2011). Decline in health-related quality of life reported by more than half of those waiting for joint replacement surgery: a prospective cohort study. *BMC Musculoskeletal Disorders* 12:108

Aetna Clinical Policy Bulletin: Total hip implants, number 0287.

Agency for Healthcare Research and Quality (AHRQ). Evidence Report/Technology Assessment: Number 86. Total Knee Replacement.

AHA Coding Clinic® for ICD-10-CM and ICD-10-PCS, A quarterly publication of the Central Office on ICD-10-CM/PCS, Volume 2, Number 1, First Quarter 2015, pages 16-17.

American Academy of Orthopaedic Surgeons (2008). Treatment of osteoarthritis of the knee (non-arthroplasty): Full guideline.

Care Allies medical necessity guidelines: Knee arthroplasty, number 0347.

Cigna medical coverage policy: Knee arthroplasty/replacement, number 0347.

Cigna medical coverage policy: Total hip replacement with metal-on-metal and ceramic-on-ceramic prosthesis, number 0214.

Code of Federal Regulations, Title 21, Chapter 1, Subchapter H, Part 888.

Dennis, d., Berry, D., Engh, G. et al (2008). AAOS Symposium: Revision total knee Arthroplasty. *Journal of the American Academy of Orthopaedic Surgeons*; 16:442-454.

Emedicine. Total knee arthroplasty.

Feeley, B., Gallo, R., Sherman, S., Williams, R. (2010). Review Article: Management of osteoarthritis of the knee in the active patient. *Journal of the American Academy of Orthopaedic Surgeons*; 18: 406-416.

InterQual® 2011 Procedures Adult Criteria, Total Joint Replacement, Knee and Hip & Removal and Replacement , Total Joint Replacement Knee and Hip. McKesson Corporation.

Milliman Care Guidelines® 2011. Inpatient and Surgical Care 15th Edition. Knee Arthroplasty and Hip Arthroplasty. Milliman Care Guidelines LLC.

National Guideline Clearinghouse. Osteoarthritis. The care and management of osteoarthritis in adults.

O'Connor, M. (2011). Implant Survival, knee function and pain relief after TKA. Are there differences between men and women? *Clinical Orthopaedics and Related Research* 469:1846-1851.

U.S. National Library of Medicine, National Institute of Health. Hip joint replacement.

Your Orthopaedic Connection (2003). Surgical treatment of osteoarthritis of the knee.

Your Orthopaedic Connection (2007). Hip implants.

Your Orthopaedic Connection (2007). Joint revision surgery-when do I need it?

Your Orthopaedic Connection (2007). Osteoarthritis of the hip.

Your Orthopaedic Connection (2009). Total hip replacement.

Your Orthopaedic Connection (2009). Total knee replacement.

Your Orthopaedic Connection (2010). Unicompartmental knee replacement.

Bibliography

N/A

Revision History Information

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION	REASON(S) FOR CHANGE
01/08/2019	R8	<p>Revision Number: 6 Publication: November 2019 Connection LCR A/B2019-075</p> <p>Explanation of Revision: Based on Change Request (CR) 10901, the LCD was revised to remove all billing and coding and all language not related to reasonable and necessary provisions ("Bill Type Codes," "Revenue Codes," "CPT/HCPCS Codes," "ICD-10 Codes that Support Medical Necessity," "Documentation Requirements" and "Utilization Guidelines" sections of the LCD) and place them into a newly created billing and coding article. During the process of moving the ICD-10-CM diagnosis codes to the billing and coding article, the ICD-10-CM diagnosis code ranges were broken out and listed individually. In addition, the Social Security Act, Code of Federal Regulations, and IOM reference sections were updated. The effective date of this revision is for claims processed on or after January 8, 2019, for dates of service on or after October 3, 2018.</p> <p>At this time 21st Century Cures Act will apply to new and revised LCDs that restrict coverage which requires comment and notice. This revision is not a restriction to the coverage determination and therefore not all the fields included on the LCD are applicable as noted in this LCD.</p>	<ul style="list-style-type: none">• Other (Revision based on CR 10901)

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION	REASON(S) FOR CHANGE
10/01/2018	R7	<p>Revision Number: 5 Publication: September 2018 Connection LCR A/B2018-074</p> <p>Explanation of Revision: Based on CR 10847 (Annual 2019 ICD-10-CM Update) the LCD was revised. Added ICD-10-PCS codes 0SR90EZ and 0SRB0EZ in the "ICD-10 Codes that Support Medical Necessity/Group 1 Paragraph:" section of the LCD and ICD-10-PCS codes 0SRC0EZ, 0SRC0M9, 0SRC0MA, 0SRC0MZ, 0SRC0N9, 0SRC0NA, 0SRC0NZ, 0SRD0EZ, 0SRD0M9, 0SRD0MA, 0SRD0MZ, 0SRD0N9, 0SRD0NA, and 0SRD0NZ in the "ICD-10 Codes that Support Medical Necessity/Group 2 Paragraph:" section of the LCD. The effective date of this revision is for dates of service on or after 10/01/18. In addition, the LCD was revised to remove diagnosis codes M96.65, T84.020A, T84.020D, T84.020S, T84.021A, T84.021D, T84.021S, Z89.621, and Z89.622, that were included in the "ICD-10 Codes that Support Medical Necessity/Group 2 Codes:/Total Knee Arthroplasty" section of the LCD in error. The effective date of this revision is for claims processed on or after 10/01/2018, for dates of service on or after 03/02/2016.</p> <p>10/01/2018: At this time 21st Century Cures Act will apply to new and revised LCDs that restrict coverage which requires comment and notice. This revision is not a restriction to the coverage determination and therefore not all the fields included on the LCD are applicable as noted in this LCD.</p>	<ul style="list-style-type: none"> Revisions Due To ICD-10-CM Code Changes
02/15/2018	R6	<p>Revision Number: 4</p> <p>Publication: February 2018 Connection</p> <p>LCR A/B2018-014</p> <p>Explanation of Revision: The LCD was revised to add ICD-10-CM diagnosis code Z47.32 to the "ICD-10-CM DIAGNOSIS CODES for Total Hip Arthroplasty" section of the LCD and ICD-10-CM diagnosis code Z47.33 to the "ICD-10-CM DIAGNOSIS CODES for Total Knee Arthroplasty" section of the LCD. Also, the "Sources of Information and Basis for Decision" section of the LCD was updated. Additionally, based on an annual review of the LCD, it was determined that some of the italicized language in the "Documentation</p>	<ul style="list-style-type: none"> Other (Revisions made based on annual review completed on 12/21/2017.)

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION	REASON(S) FOR CHANGE
		<p>Requirements" section of the LCD does not represent direct quotation from the CMS sources listed in the LCD; therefore, this LCD is being revised to assure consistency with the CMS sources. The effective date of this revision is based on date of service.</p> <p>02/15/2018: At this time 21st Century Cures Act will apply to new and revised LCDs that restrict coverage which requires comment and notice. This revision is not a restriction to the coverage determination and therefore not all the fields included on the LCD are applicable as noted in this policy.</p>	
10/01/2017	R5	<p>Revision Number: 3</p> <p>Publication: September 2017 Connection</p> <p>LCR A/B2017-038</p> <p>Explanation of Revision: Based on CR 10153 (Annual 2018 ICD-10-CM Update) the LCD was revised. Added ICD-10-PCS codes 0SR9069, 0SR906A, 0SR906Z, 0SRB069, 0SRB06A, 0SRB06Z for Total Hip Arthroplasty and 0SRC069, 0SRC06A, 0SRC06Z, 0SRD069, 0SRD06A, 0SRD06Z for Total Knee Replacement The effective date of this revision is based on date of service.</p> <p>10/01/2017: At this time 21st Century Cures Act will apply to new and revised LCDs that restrict coverage which requires comment and notice. This revision is not a restriction to the coverage determination and therefore not all the fields included on the LCD are applicable as noted in this policy.</p>	<ul style="list-style-type: none"> • Revisions Due To ICD-10-CM Code Changes
10/01/2016	R4	<p>11/11/2016: Corrected descriptor for ICD-10-CM/PCS code 0SRB04A (Replacement of Left Hip Joint with Ceramic on Polyethylene Synthetic Substitute, Uncemented, Open Approach)</p>	<ul style="list-style-type: none"> • Typographical Error
10/01/2016	R3	<p>RRevision Number: 2</p> <p>Publication: October 2016 Connection</p> <p>LCR A/B2016-097</p>	<ul style="list-style-type: none"> • Revisions Due To ICD-10-CM Code Changes

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION	REASON(S) FOR CHANGE
		<p>Explanation of revision: Based on CR 9677 (Annual 2017 ICD-10-CM Update) the LCD was revised to add ICD-10-CM diagnosis code ranges M84.750A-M84.750S, M84.751A-M84.751S, M84.752A-M84.752S, M84.753A-M84.753S, M84.754A-M84.754S, M84.755A-M84.755S, M84.756A-M84.756S, M84.757A-M84.757S, M84.758A-M84.758S, M84.759A-M84.759S, M97.01XA-M97.01XS and M97.02XA-M97.02XS to the "ICD-10-CM DIAGNOSIS CODES for Total Hip Arthroplasty" section of the LCD. ICD-10-CM diagnosis code ranges M97.11XA-M97.11XS and M97.12XA-M97.12XS were added to the "ICD-10-CM DIAGNOSIS CODES for Total Knee Arthroplasty" section of the LCD. In addition, ICD-10-CM code ranges T84.040A-T84.040S and T84.041A-T84.041S were deleted from the "ICD-10-CM DIAGNOSIS CODES for Total Hip Arthroplasty" section and code ranges T84.042A-T84.042S and T84.043A-T84.043S were deleted from the "ICD-10-CM DIAGNOSIS CODES for Total Knee Arthroplasty" section. The effective date of this revision is based on date of service.</p>	
03/02/2016	R2	<p>Revision Number: 1 Publication: March 2016 Connection LCR A/B2016-047</p> <p>Explanation of revision: The LCD was revised to remove the dual ICD-10-CM procedure code billing requirement for joint replacement surgeries of the hip and knee. Therefore the "+," "++," and "*" have been removed from the "CPT/HCPCS Codes" section of the LCD, where applicable. In addition, the LCD was revised to add additional ICD-10-CM diagnosis codes Z89.621-Z89.622 (acquired absence of Hip joint) and Z89.521-Z89.522 (acquired absence of knee) to the "ICD-10 Codes that Support Medical Necessity" section of the LCD. Lastly, the language related to requiring a dual diagnosis(*) has been removed. Therefore, the "*" has been removed from those specific diagnosis codes listed in the "ICD-10 Codes that Support Medical Necessity" section of the LCD. The effective date of this revision is for claims processed on or after 03/02/2016, for dates of service on or after 10/01/2015.</p>	<ul style="list-style-type: none"> • Provider Education/Guidance • Public Education/Guidance • Revisions Due To ICD-10-CM Code Changes
10/01/2015	R1	<p>10/27/2014- ICD-10 Diagnosis codes; M05.59, M05.5, M05.79, M08.061-M08.069,</p>	<ul style="list-style-type: none"> • Revisions Due To

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION	REASON(S) FOR CHANGE
		M08.261-M08.269, M08.461-M08.469, M08.861-M08.869, M08.961-M08.969, AND M23.51, and M23.52.	ICD-10-CM Code Changes

Associated Documents

Attachments

N/A

Related Local Coverage Documents

Article(s)

A57765 - Billing and Coding: Major Joint Replacement (Hip and Knee)

Related National Coverage Documents

N/A

Public Version(s)

Updated on 11/21/2019 with effective dates 01/08/2019 - N/A

Some older versions have been archived. Please visit the MCD Archive Site to retrieve them.

Keywords

N/A

Local Coverage Article: Billing and Coding: Major Joint Replacement (Hip and Knee) (A57765)

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

Contractor Information

CONTRACTOR NAME	CONTRACT TYPE	CONTRACT NUMBER	JURISDICTION	STATE(S)
First Coast Service Options, Inc.	A and B MAC	09101 - MAC A	J - N	Florida
First Coast Service Options, Inc.	A and B MAC	09102 - MAC B	J - N	Florida
First Coast Service Options, Inc.	A and B MAC	09201 - MAC A	J - N	Puerto Rico Virgin Islands
First Coast Service Options, Inc.	A and B MAC	09202 - MAC B	J - N	Puerto Rico
First Coast Service Options, Inc.	A and B MAC	09302 - MAC B	J - N	Virgin Islands

Article Information

General Information

Article ID

A57765

Original Effective Date

10/03/2018

Article Title

Billing and Coding: Major Joint Replacement (Hip and Knee)

Revision Effective Date

02/18/2020

Article Type

Billing and Coding

Revision Ending Date

N/A

AMA CPT / ADA CDT / AHA NUBC Copyright Statement

CPT codes, descriptions and other data only are copyright 2019 American Medical Association. All Rights Reserved. Applicable FARS/HHSARS apply.

Retirement Date

N/A

Current Dental Terminology © 2019 American Dental Association. All rights reserved.

Copyright © 2019, the American Hospital Association, Chicago, Illinois. Reproduced with permission. No portion of the AHA copyrighted materials contained within this publication may be copied without the

express written consent of the AHA. AHA copyrighted materials including the UB-04 codes and descriptions may not be removed, copied, or utilized within any software, product, service, solution or derivative work without the written consent of the AHA. If an entity wishes to utilize any AHA materials, please contact the AHA at 312-893-6816. Making copies or utilizing the content of the UB-04 Manual, including the codes and/or descriptions, for internal purposes, resale and/or to be used in any product or publication; creating any modified or derivative work of the UB-04 Manual and/or codes and descriptions; and/or making any commercial use of UB-04 Manual or any portion thereof, including the codes and/or descriptions, is only authorized with an express license from the American Hospital Association. To license the electronic data file of UB-04 Data Specifications, contact Tim Carlson at (312) 893-6816 or Laryssa Marshall at (312) 893-6814. You may also contact us at ub04@healthforum.com.

CMS National Coverage Policy

N/A

Article Guidance

Article Text:

This First Coast Billing and Coding Article for Local Coverage Determination (LCD) L33618 Major Joint Replacement (Hip and Knee) provides billing and coding guidance for frequency limitations as well as diagnosis limitations that support diagnosis to procedure code automated denials. However, services performed for any given diagnosis must meet all of the indications and limitations stated in the LCD, the general requirements for medical necessity as stated in CMS payment policy manuals, any and all existing CMS national coverage determinations, and all Medicare payment rules.

Refer to the LCD for reasonable and necessary requirements and limitations.

The redetermination process may be utilized for consideration of services performed outside of the reasonable and necessary requirements in the LCD.

Coding Guidelines

Bilateral knee or hip replacement surgery during the same encounter is subject to bilateral pricing. Generally, there are two surgeons acting as co-surgeons, with each one operating on a distinct knee or hip. Modifier – 50 (bilateral procedure) and – 62 (co-surgeon) should be appended to the appropriate CPT procedure code.

RT and LT modifiers should be used as appropriate.

Notice: It is not appropriate to bill Medicare for services that are not covered (as described by the entire LCD) as if they are covered. When billing for non-covered services, use the appropriate modifier.

Documentation Requirements

1. All documentation must be maintained in the patient's medical record and made available to the contractor upon request.
2. Every page of the record must be legible and include appropriate patient identification information (e.g., complete name, dates of service[s]). The documentation must include the legible signature of the physician or non-physician practitioner responsible for and providing the care to the patient.
3. The submitted medical record must support the use of the selected ICD-10-CM code(s). The submitted CPT/HCPCS code must describe the service performed.
4. When the procedure is indicated for advanced joint disease, the following should be documented in the medical record:
 - Arthritis of the knee or hip supported by X-ray or MRI. The X-ray or MRI should demonstrate one of the following: a) subchondral cysts, b) subchondral sclerosis, c) periarticular osteophytes, d) joint subluxation, e) joint space narrowing, or f) avascular necrosis.
 - Pain or functional disability at the hip or knee. For example, documented pain that interferes with ADLs (functional disability), or pain that is increased with initiation of activities or pain that increases with weight bearing.
 - Unsuccessful conservative therapy (non-surgical medical management). The documentation should demonstrate a history of a reasonable attempt (usually 3 months or more) at conservative therapy as appropriate for the patient in their current episode of care. For example, documented trial of NSAIDs or contraindication to such therapy and/or documented supervised physical therapy. Documentation should support that ADLs are diminished due to pain and/or disability despite non-surgical medical management.
 - For patients with significant conditions or co-morbidities, the risk/benefit of non-cardiac surgery, such as TKA or THA should be appropriately addressed in the medical record.
5. Medical record documentation for other TKA and THA indications outlined in the LCD should include the following, when indicated:
 - Supporting evidence (e.g., pathology reports and referral from an Oncologist for a malignancy of the joint or X-ray of a fracture).
 - Pain at the hip or knee when indicated as a reason for the procedure (e.g., for revision/replacement TKA/THA). For example, documented pain that interferes with ADLs functional disability), pain that is increased with initiation of activities or pain that increases with weight bearing.
 - For patients with significant conditions or co-morbidities, the risk/benefit of non-cardiac surgery, such as TKA or THA should be appropriately addressed in the medical record.
 - When infection is the reason for revision TKA or THA surgery, laboratory and/or pathology reports must be documented in the medical record and all documentation regarding treatment of the infection and a physician note indicating that it is appropriate to proceed with surgery should be in the medical record as well.
6. In the instance that the patient is undergoing a bilateral knee or hip replacement, all criteria listed above would apply to the bilateral surgery when indicated. The medical record should also support the medical necessity for performing THA or TKA bilaterally.
7. If in certain circumstances the patient does not meet all of the required criteria outlined in the local coverage determination (LCD) for a procedure, but the treating physician feels that the procedure is a covered procedure given the current standards of care, then the documentation must clearly outline the patient's episode of care that supports the major procedure and must clearly address the reason(s) for coverage. For example, if clinical findings (or lack of) for an indication are not consistent with the LCD criteria, it should be directly addressed in the pre procedure documentation. For example, if certain conservative measures are not necessary for a given patient, it should be directly noted in the pre procedure documentation. The clinical judgment of the treating

physician is always a consideration if clearly addressed in the pre procedure record and if consistent with the episode of care for the patient as documented in patient records and claim history.

Utilization Guidelines

In accordance with CMS Ruling 95-1 (V), utilization of these services should be consistent with locally acceptable standards of practice.

Compliance with the provisions in LCD L33618, Major Joint Replacement (Hip and Knee) may be monitored and addressed through post payment data analysis and subsequent medical review audits.

Coding Information

CPT/HCPCS Codes

Group 1 Paragraph:

Total Hip Arthroplasty

****For inpatient hospital only, the following ICD-10-PCS codes should be used:**

0SP90JZ Removal of Synthetic Substitute from Right Hip Joint, Open Approach

0SPB0JZ Removal of Synthetic Substitute from Left Hip Joint, Open Approach

0SR9019 Replacement of Right Hip Joint with Metal Synthetic Substitute, Cemented, Open Approach

0SR901A Replacement of Right Hip Joint with Metal Synthetic Substitute, Uncemented, Open Approach

0SR901Z Replacement of Right Hip Joint with Metal Synthetic Substitute, Open Approach

0SR9029 Replacement of Right Hip Joint with Metal on Polyethylene Synthetic Substitute, Cemented, Open Approach

0SR902A Replacement of Right Hip Joint with Metal on Polyethylene Synthetic Substitute, Uncemented, Open Approach

0SR902Z Replacement of Right Hip Joint with Metal on Polyethylene Synthetic Substitute, Open Approach

0SR9039 Replacement of Right Hip Joint with Ceramic Synthetic Substitute, Cemented, Open Approach

0SR903A Replacement of Right Hip Joint with Ceramic Synthetic Substitute, Uncemented, Open Approach

0SR903Z Replacement of Right Hip Joint with Ceramic Synthetic Substitute, Open Approach

0SR9049 Replacement of Right Hip Joint with Ceramic on Polyethylene Synthetic Substitute, Cemented, Open Approach

0SR904A Replacement of Right Hip Joint with Ceramic on Polyethylene Synthetic Substitute, Uncemented, Open Approach

0SR904Z Replacement of Right Hip Joint with Ceramic on Polyethylene Synthetic Substitute, Open Approach

0SR9069 Replacement of Right Hip Joint with Oxidized Zirconium on Polyethylene Synthetic Substitute, Cemented, Open Approach

0SR906A Replacement of Right Hip Joint with Oxidized Zirconium on Polyethylene Synthetic Substitute, Uncemented, Open Approach

0SR906Z Replacement of Right Hip Joint with Oxidized Zirconium on Polyethylene Synthetic Substitute, Open Approach

0SR907Z Replacement of Right Hip Joint with Autologous Tissue Substitute, Open Approach

0SR90EZ Replacement of Right Hip Joint with Artificial Spacer, Open Approach

0SR90J9 Replacement of Right Hip Joint with Synthetic Substitute, Cemented, Open Approach

0SR90JA Replacement of Right Hip Joint with Synthetic Substitute, Uncemented, Open Approach

0SR90JZ Replacement of Right Hip Joint with Synthetic Substitute, Open Approach

0SR90KZ Replacement of Right Hip Joint with Nonautologous Tissue Substitute, Open Approach

0SRB019 Replacement of Left Hip Joint with Metal Synthetic Substitute, Cemented, Open Approach

0SRB01A Replacement of Left Hip Joint with Metal Synthetic Substitute, Uncemented, Open Approach

0SRB01Z Replacement of Left Hip Joint with Metal Synthetic Substitute, Open Approach

0SRB029 Replacement of Left Hip Joint with Metal on Polyethylene Synthetic Substitute, Cemented, Open Approach

0SRB02A Replacement of Left Hip Joint with Metal on Polyethylene Synthetic Substitute, Uncemented, Open Approach

0SRB02Z Replacement of Left Hip Joint with Metal on Polyethylene Synthetic Substitute, Open Approach

0SRB039 Replacement of Left Hip Joint with Ceramic Synthetic Substitute, Cemented, Open Approach

0SRB03A Replacement of Left Hip Joint with Ceramic Synthetic Substitute, Uncemented, Open Approach

0SRB03Z Replacement of Left Hip Joint with Ceramic Synthetic Substitute, Open Approach

0SRB049 Replacement of Left Hip Joint with Ceramic on Polyethylene Synthetic Substitute, Cemented, Open Approach

0SRB04A Replacement of Left Hip Joint with Ceramic on Polyethylene Synthetic Substitute, Uncemented, Open Approach

0SRB04Z Replacement of Left Hip Joint with Ceramic on Polyethylene Synthetic Substitute, Open Approach

0SRB069 Replacement of Left Hip Joint with Oxidized Zirconium on Polyethylene Synthetic Substitute, Cemented, Open Approach

0SRB06A Replacement of Left Hip Joint with Oxidized Zirconium on Polyethylene Synthetic Substitute, Uncemented, Open Approach

0SRB06Z Replacement of Left Hip Joint with Oxidized Zirconium on Polyethylene Synthetic Substitute, Open Approach

0SRB07Z Replacement of Left Hip Joint with Autologous

0SRB0EZ Replacement of Left Hip Joint with Artificial Spacer, Open Approach

0SRB0J9 Replacement of Left Hip Joint with Synthetic Substitute, Cemented, Open Approach

0SRB0JA Replacement of Left Hip Joint with Synthetic Substitute, Uncemented, Open Approach

0SRB0JZ Replacement of Left Hip Joint with Synthetic Substitute, Open Approach

0SRB0KZ Replacement of Left Hip Joint with Nonautologous Tissue Substitute, Open Approach

0SW90JZ Revision OF Synthetic Substitute in Right Hip Joint, Open Approach

0SWB0JZ Revision of Synthetic Substitute in Left Hip Joint, Open Approach

****For Part B of A services, the following CPT codes should be used:**

Group 1 Codes:

CODE	DESCRIPTION
27130	ARTHROPLASTY, ACETABULAR AND PROXIMAL FEMORAL PROSTHETIC

CODE	DESCRIPTION
	REPLACEMENT (TOTAL HIP ARTHROPLASTY), WITH OR WITHOUT AUTOGRAFT OR ALLOGRAFT
27132	CONVERSION OF PREVIOUS HIP SURGERY TO TOTAL HIP ARTHROPLASTY, WITH OR WITHOUT AUTOGRAFT OR ALLOGRAFT
27134	REVISION OF TOTAL HIP ARTHROPLASTY; BOTH COMPONENTS, WITH OR WITHOUT AUTOGRAFT OR ALLOGRAFT
27137	REVISION OF TOTAL HIP ARTHROPLASTY; ACETABULAR COMPONENT ONLY, WITH OR WITHOUT AUTOGRAFT OR ALLOGRAFT
27138	REVISION OF TOTAL HIP ARTHROPLASTY; FEMORAL COMPONENT ONLY, WITH OR WITHOUT ALLOGRAFT

Group 2 Paragraph:

Total Knee Arthroplasty

****For inpatient hospital only, the following ICD-10-PCS codes should be used:**

0SPC0JZ Removal of Synthetic Substitute from Right Knee Joint, Open Approach

0SPD0JZ Removal of Synthetic Substitute from Left Knee Joint, Open Approach

0SRC069 Replacement of Right Knee Joint with Oxidized Zirconium on Polyethylene Synthetic Substitute, Cemented, Open Approach

0SRC06A Replacement of Right Knee Joint with Oxidized Zirconium on Polyethylene Synthetic Substitute, Uncemented, Open

0SRC06Z Replacement of Right Knee Joint with Oxidized Zirconium on Polyethylene Synthetic Substitute, Open Approach

0SRC07Z Replacement of Right Knee Joint with Autologous Tissue Substitute, Open Approach

0SRC0EZ Replacement of Right Knee Joint with Articulating Spacer, Open Approach

0SRC0J9 Replacement of Right Knee Joint with Synthetic Substitute, Cemented, Open Approach

0SRC0JA Replacement of Right Knee Joint with Synthetic Substitute, Uncemented, Open Approach

0SRC0JZ Replacement of Right Knee Joint with Synthetic Substitute, Open Approach

0SRC0M9 Replacement of Right Knee Joint with Lateral Unicondylar Synthetic Substitute, Cemented, Open Approach

0SRC0MA Replacement of Right Knee Joint with Lateral Unicondylar Synthetic Substitute, Uncemented, Open Approach

0SRC0MZ Replacement of Right Knee Joint with Lateral Unicondylar Synthetic Substitute, Open Approach

0SRC0N9 Replacement of Right Knee Joint with Patellofemoral Synthetic Substitute, Cemented, Open Approach

0SRC0NA Replacement of Right Knee Joint with Patellofemoral Synthetic Substitute, Uncemented, Open Approach

0SRC0NZ Replacement of Right Knee Joint with Patellofemoral Synthetic Substitute, Open Approach

0SRD0EZ Replacement of Left Knee Joint with Articulating Spacer, Open Approach

0SRD0M9 Replacement of Left Knee Joint with Lateral Unicondylar Synthetic Substitute, Cemented, Open Approach

0SRD0MA Replacement of Left Knee Joint with Lateral Unicondylar Synthetic Substitute, Uncemented, Open Approach

0SRD0MZ Replacement of Left Knee Joint with Lateral Unicondylar Synthetic Substitute, Open Approach

0SRD0N9 Replacement of Left Knee Joint with Patellofemoral Synthetic Substitute, Cemented, Open Approach

0SRD0NA Replacement of Left Knee Joint with Patellofemoral Synthetic Substitute, Uncemented, Open Approach

0SRD0NZ Replacement of Left Knee Joint with Patellofemoral Synthetic Substitute, Open Approach

0SRC0KZ Replacement of Right Knee Joint with Nonautologous Tissue Substitute, Open Approach

0SRD069 Replacement of Left Knee Joint with Oxidized Zirconium on Polyethylene Synthetic Substitute, Cemented, Open Approach

0SRD06A Replacement of Left Knee Joint with Oxidized Zirconium on Polyethylene Synthetic Substitute, Uncemented, Open Approach

0SRD06Z Replacement of Left Knee Joint with Oxidized Zirconium on Polyethylene Synthetic Substitute, Open Approach

0SRD07Z Replacement of Left Knee Joint with Autologous Tissue Substitute, Open Approach

0SRD0J9 Replacement of Left Knee Joint with Synthetic Substitute, Cemented, Open Approach

0SRD0JA Replacement of Left Knee Joint with Synthetic Substitute, Uncemented, Open Approach

0SRD0JZ Replacement of Left Knee Joint with Synthetic Substitute, Open Approach

0SRD0KZ Replacement of Left Knee Joint with Nonautologous Tissue Substitute, Open Approach

0SRT07Z Replacement of Right Knee Joint, Femoral Surface with Autologous Tissue Substitute, Open Approach

0SRT0J9 Replacement of Right Knee Joint, Femoral Surface with Synthetic Substitute, Cemented, Open Approach

0SRT0JA Replacement of Right Knee Joint, Femoral Surface with Synthetic Substitute, Uncemented, Open Approach

0SRT0JZ Replacement of Right Knee Joint, Femoral Surface with Synthetic Substitute, Open Approach

0SRT0KZ Replacement of Right Knee Joint, Femoral Surface with Nonautologous Tissue Substitute, Open Approach

0SRU07Z Replacement of Left Knee Joint, Femoral Surface with Autologous Tissue Substitute, Open Approach

0SRU0J9 Replacement of Left Knee Joint, Femoral Surface with Synthetic Substitute, Cemented, Open Approach

0SRU0JA Replacement of Left Knee Joint, Femoral Surface with Synthetic Substitute, Uncemented, Open Approach

0SRU0JZ Replacement of Left Knee Joint, Femoral Surface with Synthetic Substitute, Open Approach

0SRU0KZ Replacement of Left Knee Joint, Femoral Surface with Nonautologous Tissue Substitute, Open Approach

0SRV07Z Replacement of Right Knee Joint, Tibial Surface with Autologous Tissue Substitute, Open Approach

0SRV0J9 Replacement of Right Knee Joint, Tibial Surface with Synthetic Substitute, Cemented, Open Approach

0SRV0JA Replacement of Right Knee Joint, Tibial Surface with Synthetic Substitute, Uncemented, Open Approach

0SRV0JZ Replacement of Right Knee Joint, Tibial Surface with Synthetic Substitute, Open Approach

0SRV0KZ Replacement of Right Knee Joint, Tibial Surface with Nonautologous Tissue Substitute, Open Approach

0SRW07Z Replacement of Left Knee Joint, Tibial Surface with Autologous Tissue Substitute, Open Approach

0SRW0J9 Replacement of Left Knee Joint, Tibial Surface with Synthetic Substitute, Cemented, Open Approach

0SRW0JA Replacement of Left Knee Joint, Tibial Surface with Synthetic Substitute, Uncemented, Open Approach

0SRW0JZ Replacement of Left Knee Joint, Tibial Surface with Synthetic Substitute, Open Approach

0SRW0KZ Replacement of Left Knee Joint, Tibial Surface with Nonautologous Tissue Substitute, Open Approach

0SWC0JZ Revision of Synthetic Substitute in Right Knee Joint, Open Approach

0SWD0JZ Revision of Synthetic Substitute in Left Knee Joint, Open Approach

****For Part B of A services, the following CPT codes should be used:**

Group 2 Codes:

CODE	DESCRIPTION
27445	ARTHROPLASTY, KNEE, HINGE PROSTHESIS (EG, WALLDIUS TYPE)
27447	ARTHROPLASTY, KNEE, CONDYLE AND PLATEAU; MEDIAL AND LATERAL COMPARTMENTS WITH OR WITHOUT PATELLA RESURFACING (TOTAL KNEE ARTHROPLASTY)
27486	REVISION OF TOTAL KNEE ARTHROPLASTY, WITH OR WITHOUT ALLOGRAFT; 1 COMPONENT
27487	REVISION OF TOTAL KNEE ARTHROPLASTY, WITH OR WITHOUT ALLOGRAFT; FEMORAL AND ENTIRE TIBIAL COMPONENT

CPT/HCPCS Modifiers

N/A

ICD-10 Codes that Support Medical Necessity

Group 1 Paragraph:

The following ICD-10-CM Codes support medical necessity and provide limited coverage for the Total Hip Arthroplasty ICD-10-PCS codes and CPT codes: 27130, 27132, 27134, 27137 and 27138

It is the provider's responsibility to select codes carried out to the highest level of specificity and selected from the ICD-10-CM code book appropriate to the year in which the service is rendered for the claim(s) submitted.

Group 1 Codes:

ICD-10 CODE	DESCRIPTION
C40.20	Malignant neoplasm of long bones of unspecified lower limb
C40.21	Malignant neoplasm of long bones of right lower limb
C40.22	Malignant neoplasm of long bones of left lower limb
C47.20	Malignant neoplasm of peripheral nerves of unspecified lower limb, including hip
C47.21	Malignant neoplasm of peripheral nerves of right lower limb, including hip

ICD-10 CODE	DESCRIPTION
C47.22	Malignant neoplasm of peripheral nerves of left lower limb, including hip
C49.20	Malignant neoplasm of connective and soft tissue of unspecified lower limb, including hip
C49.21	Malignant neoplasm of connective and soft tissue of right lower limb, including hip
C49.22	Malignant neoplasm of connective and soft tissue of left lower limb, including hip
D16.20	Benign neoplasm of long bones of unspecified lower limb
D16.21	Benign neoplasm of long bones of right lower limb
D16.22	Benign neoplasm of long bones of left lower limb
D21.20	Benign neoplasm of connective and other soft tissue of unspecified lower limb, including hip
D21.21	Benign neoplasm of connective and other soft tissue of right lower limb, including hip
D21.22	Benign neoplasm of connective and other soft tissue of left lower limb, including hip
M05.451	Rheumatoid myopathy with rheumatoid arthritis of right hip
M05.452	Rheumatoid myopathy with rheumatoid arthritis of left hip
M05.459	Rheumatoid myopathy with rheumatoid arthritis of unspecified hip
M05.551	Rheumatoid polyneuropathy with rheumatoid arthritis of right hip
M05.552	Rheumatoid polyneuropathy with rheumatoid arthritis of left hip
M05.559	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hip
M05.59	Rheumatoid polyneuropathy with rheumatoid arthritis of multiple sites
M05.751	Rheumatoid arthritis with rheumatoid factor of right hip without organ or systems involvement
M05.752	Rheumatoid arthritis with rheumatoid factor of left hip without organ or systems involvement
M05.759	Rheumatoid arthritis with rheumatoid factor of unspecified hip without organ or systems involvement
M05.79	Rheumatoid arthritis with rheumatoid factor of multiple sites without organ or systems involvement
M05.851	Other rheumatoid arthritis with rheumatoid factor of right hip
M05.852	Other rheumatoid arthritis with rheumatoid factor of left hip
M05.859	Other rheumatoid arthritis with rheumatoid factor of unspecified hip
M06.051	Rheumatoid arthritis without rheumatoid factor, right hip
M06.052	Rheumatoid arthritis without rheumatoid factor, left hip
M06.059	Rheumatoid arthritis without rheumatoid factor, unspecified hip

ICD-10 CODE	DESCRIPTION
M06.251	Rheumatoid bursitis, right hip
M06.252	Rheumatoid bursitis, left hip
M06.259	Rheumatoid bursitis, unspecified hip
M06.351	Rheumatoid nodule, right hip
M06.352	Rheumatoid nodule, left hip
M06.359	Rheumatoid nodule, unspecified hip
M06.851	Other specified rheumatoid arthritis, right hip
M06.852	Other specified rheumatoid arthritis, left hip
M06.859	Other specified rheumatoid arthritis, unspecified hip
M07.651	Enteropathic arthropathies, right hip
M07.652	Enteropathic arthropathies, left hip
M07.659	Enteropathic arthropathies, unspecified hip
M08.051	Unspecified juvenile rheumatoid arthritis, right hip
M08.052	Unspecified juvenile rheumatoid arthritis, left hip
M08.059	Unspecified juvenile rheumatoid arthritis, unspecified hip
M08.251	Juvenile rheumatoid arthritis with systemic onset, right hip
M08.252	Juvenile rheumatoid arthritis with systemic onset, left hip
M08.259	Juvenile rheumatoid arthritis with systemic onset, unspecified hip
M08.3	Juvenile rheumatoid polyarthritis (seronegative)
M08.40	Pauciarticular juvenile rheumatoid arthritis, unspecified site
M08.451	Pauciarticular juvenile rheumatoid arthritis, right hip
M08.452	Pauciarticular juvenile rheumatoid arthritis, left hip
M08.459	Pauciarticular juvenile rheumatoid arthritis, unspecified hip
M08.851	Other juvenile arthritis, right hip
M08.852	Other juvenile arthritis, left hip
M08.859	Other juvenile arthritis, unspecified hip
M08.951	Juvenile arthritis, unspecified, right hip
M08.952	Juvenile arthritis, unspecified, left hip
M08.959	Juvenile arthritis, unspecified, unspecified hip
M12.351	Palindromic rheumatism, right hip
M12.352	Palindromic rheumatism, left hip
M12.359	Palindromic rheumatism, unspecified hip

ICD-10 CODE	DESCRIPTION
M12.451	Intermittent hydrarthrosis, right hip
M12.452	Intermittent hydrarthrosis, left hip
M12.459	Intermittent hydrarthrosis, unspecified hip
M12.551	Traumatic arthropathy, right hip
M12.552	Traumatic arthropathy, left hip
M12.559	Traumatic arthropathy, unspecified hip
M12.851	Other specific arthropathies, not elsewhere classified, right hip
M12.852	Other specific arthropathies, not elsewhere classified, left hip
M12.859	Other specific arthropathies, not elsewhere classified, unspecified hip
M13.151	Monoarthritis, not elsewhere classified, right hip
M13.152	Monoarthritis, not elsewhere classified, left hip
M13.159	Monoarthritis, not elsewhere classified, unspecified hip
M13.851	Other specified arthritis, right hip
M13.852	Other specified arthritis, left hip
M13.859	Other specified arthritis, unspecified hip
M16.0	Bilateral primary osteoarthritis of hip
M16.10	Unilateral primary osteoarthritis, unspecified hip
M16.11	Unilateral primary osteoarthritis, right hip
M16.12	Unilateral primary osteoarthritis, left hip
M16.2	Bilateral osteoarthritis resulting from hip dysplasia
M16.30	Unilateral osteoarthritis resulting from hip dysplasia, unspecified hip
M16.31	Unilateral osteoarthritis resulting from hip dysplasia, right hip
M16.32	Unilateral osteoarthritis resulting from hip dysplasia, left hip
M16.4	Bilateral post-traumatic osteoarthritis of hip
M16.50	Unilateral post-traumatic osteoarthritis, unspecified hip
M16.51	Unilateral post-traumatic osteoarthritis, right hip
M16.52	Unilateral post-traumatic osteoarthritis, left hip
M16.6	Other bilateral secondary osteoarthritis of hip
M16.7	Other unilateral secondary osteoarthritis of hip
M16.9	Osteoarthritis of hip, unspecified
M24.651	Ankylosis, right hip
M24.652	Ankylosis, left hip

ICD-10 CODE	DESCRIPTION
M24.659	Ankylosis, unspecified hip
M24.7	Protrusio acetabuli
M24.851	Other specific joint derangements of right hip, not elsewhere classified
M24.852	Other specific joint derangements of left hip, not elsewhere classified
M24.859	Other specific joint derangements of unspecified hip, not elsewhere classified
ICD-10 CODE	DESCRIPTION
M25.251	Flail joint, right hip
M25.252	Flail joint, left hip
M25.259	Flail joint, unspecified hip
M25.351	Other instability, right hip
M25.352	Other instability, left hip
M25.359	Other instability, unspecified hip
M25.551	Pain in right hip
M25.552	Pain in left hip
M25.559	Pain in unspecified hip
M80.051A	Age-related osteoporosis with current pathological fracture, right femur, initial encounter for fracture
M80.051D	Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with routine healing
M80.051G	Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with delayed healing
M80.051K	Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with nonunion
M80.051P	Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with malunion
M80.051S	Age-related osteoporosis with current pathological fracture, right femur, sequela
M80.052A	Age-related osteoporosis with current pathological fracture, left femur, initial encounter for fracture
M80.052D	Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with routine healing
M80.052G	Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with delayed healing
M80.052K	Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with nonunion

ICD-10 CODE	DESCRIPTION
M80.052P	Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with malunion
M80.052S	Age-related osteoporosis with current pathological fracture, left femur, sequela
M80.059A	Age-related osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture
M80.059D	Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with routine healing
M80.059G	Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with delayed healing
M80.059K	Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with nonunion
M80.059P	Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with malunion
M80.059S	Age-related osteoporosis with current pathological fracture, unspecified femur, sequela
M80.851A	Other osteoporosis with current pathological fracture, right femur, initial encounter for fracture
M80.851D	Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with routine healing
M80.851G	Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with delayed healing
M80.851K	Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with nonunion
M80.851P	Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with malunion
M80.851S	Other osteoporosis with current pathological fracture, right femur, sequela
M80.852A	Other osteoporosis with current pathological fracture, left femur, initial encounter for fracture
M80.852D	Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with routine healing
M80.852G	Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with delayed healing
M80.852K	Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with nonunion
M80.852P	Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with malunion
M80.852S	Other osteoporosis with current pathological fracture, left femur, sequela

ICD-10 CODE	DESCRIPTION
M80.859A	Other osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture
M80.859D	Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with routine healing
M80.859G	Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with delayed healing
M80.859K	Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with nonunion
M80.859P	Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with malunion
M80.859S	Other osteoporosis with current pathological fracture, unspecified femur, sequela
M84.350A	Stress fracture, pelvis, initial encounter for fracture
M84.350D	Stress fracture, pelvis, subsequent encounter for fracture with routine healing
M84.350G	Stress fracture, pelvis, subsequent encounter for fracture with delayed healing
M84.350K	Stress fracture, pelvis, subsequent encounter for fracture with nonunion
M84.350P	Stress fracture, pelvis, subsequent encounter for fracture with malunion
M84.350S	Stress fracture, pelvis, sequela
M84.351A	Stress fracture, right femur, initial encounter for fracture
M84.351D	Stress fracture, right femur, subsequent encounter for fracture with routine healing
M84.351G	Stress fracture, right femur, subsequent encounter for fracture with delayed healing
M84.351K	Stress fracture, right femur, subsequent encounter for fracture with nonunion
M84.351P	Stress fracture, right femur, subsequent encounter for fracture with malunion
M84.351S	Stress fracture, right femur, sequela
M84.352A	Stress fracture, left femur, initial encounter for fracture
M84.352D	Stress fracture, left femur, subsequent encounter for fracture with routine healing
M84.352G	Stress fracture, left femur, subsequent encounter for fracture with delayed healing
M84.352K	Stress fracture, left femur, subsequent encounter for fracture with nonunion
M84.352P	Stress fracture, left femur, subsequent encounter for fracture with malunion
M84.352S	Stress fracture, left femur, sequela
M84.353A	Stress fracture, unspecified femur, initial encounter for fracture
M84.353D	Stress fracture, unspecified femur, subsequent encounter for fracture with routine healing
M84.353G	Stress fracture, unspecified femur, subsequent encounter for fracture with delayed healing

ICD-10 CODE	DESCRIPTION
M84.353K	Stress fracture, unspecified femur, subsequent encounter for fracture with nonunion
M84.353P	Stress fracture, unspecified femur, subsequent encounter for fracture with malunion
M84.353S	Stress fracture, unspecified femur, sequela
M84.359A	Stress fracture, hip, unspecified, initial encounter for fracture
M84.359D	Stress fracture, hip, unspecified, subsequent encounter for fracture with routine healing
M84.359G	Stress fracture, hip, unspecified, subsequent encounter for fracture with delayed healing
M84.359K	Stress fracture, hip, unspecified, subsequent encounter for fracture with nonunion
M84.359P	Stress fracture, hip, unspecified, subsequent encounter for fracture with malunion
M84.359S	Stress fracture, hip, unspecified, sequela
M84.451A	Pathological fracture, right femur, initial encounter for fracture
M84.451D	Pathological fracture, right femur, subsequent encounter for fracture with routine healing
M84.451G	Pathological fracture, right femur, subsequent encounter for fracture with delayed healing
M84.451K	Pathological fracture, right femur, subsequent encounter for fracture with nonunion
M84.451P	Pathological fracture, right femur, subsequent encounter for fracture with malunion
M84.451S	Pathological fracture, right femur, sequela
M84.452A	Pathological fracture, left femur, initial encounter for fracture
M84.452D	Pathological fracture, left femur, subsequent encounter for fracture with routine healing
M84.452G	Pathological fracture, left femur, subsequent encounter for fracture with delayed healing
M84.452K	Pathological fracture, left femur, subsequent encounter for fracture with nonunion
M84.452P	Pathological fracture, left femur, subsequent encounter for fracture with malunion
M84.452S	Pathological fracture, left femur, sequela
M84.453A	Pathological fracture, unspecified femur, initial encounter for fracture
M84.453D	Pathological fracture, unspecified femur, subsequent encounter for fracture with routine healing
M84.453G	Pathological fracture, unspecified femur, subsequent encounter for fracture with delayed healing
M84.453K	Pathological fracture, unspecified femur, subsequent encounter for fracture with nonunion

ICD-10 CODE	DESCRIPTION
M84.453P	Pathological fracture, unspecified femur, subsequent encounter for fracture with malunion
M84.453S	Pathological fracture, unspecified femur, sequela
M84.454A	Pathological fracture, pelvis, initial encounter for fracture
M84.454D	Pathological fracture, pelvis, subsequent encounter for fracture with routine healing
M84.454G	Pathological fracture, pelvis, subsequent encounter for fracture with delayed healing
M84.454K	Pathological fracture, pelvis, subsequent encounter for fracture with nonunion
M84.454P	Pathological fracture, pelvis, subsequent encounter for fracture with malunion
M84.454S	Pathological fracture, pelvis, sequela
M84.459A	Pathological fracture, hip, unspecified, initial encounter for fracture
ICD-10 CODE	DESCRIPTION
M84.459D	Pathological fracture, hip, unspecified, subsequent encounter for fracture with routine healing
M84.459G	Pathological fracture, hip, unspecified, subsequent encounter for fracture with delayed healing
M84.459K	Pathological fracture, hip, unspecified, subsequent encounter for fracture with nonunion
M84.459P	Pathological fracture, hip, unspecified, subsequent encounter for fracture with malunion
M84.459S	Pathological fracture, hip, unspecified, sequela
M84.550A	Pathological fracture in neoplastic disease, pelvis, initial encounter for fracture
M84.550D	Pathological fracture in neoplastic disease, pelvis, subsequent encounter for fracture with routine healing
M84.550G	Pathological fracture in neoplastic disease, pelvis, subsequent encounter for fracture with delayed healing
M84.550K	Pathological fracture in neoplastic disease, pelvis, subsequent encounter for fracture with nonunion
M84.550P	Pathological fracture in neoplastic disease, pelvis, subsequent encounter for fracture with malunion
M84.550S	Pathological fracture in neoplastic disease, pelvis, sequela
M84.551A	Pathological fracture in neoplastic disease, right femur, initial encounter for fracture
M84.551D	Pathological fracture in neoplastic disease, right femur, subsequent encounter for fracture with routine healing
M84.551G	Pathological fracture in neoplastic disease, right femur, subsequent encounter for fracture with delayed healing

ICD-10 CODE	DESCRIPTION
M84.551K	Pathological fracture in neoplastic disease, right femur, subsequent encounter for fracture with nonunion
M84.551P	Pathological fracture in neoplastic disease, right femur, subsequent encounter for fracture with malunion
M84.551S	Pathological fracture in neoplastic disease, right femur, sequela
M84.552A	Pathological fracture in neoplastic disease, left femur, initial encounter for fracture
M84.552D	Pathological fracture in neoplastic disease, left femur, subsequent encounter for fracture with routine healing
M84.552G	Pathological fracture in neoplastic disease, left femur, subsequent encounter for fracture with delayed healing
M84.552K	Pathological fracture in neoplastic disease, left femur, subsequent encounter for fracture with nonunion
M84.552P	Pathological fracture in neoplastic disease, left femur, subsequent encounter for fracture with malunion
M84.552S	Pathological fracture in neoplastic disease, left femur, sequela
M84.553A	Pathological fracture in neoplastic disease, unspecified femur, initial encounter for fracture
M84.553D	Pathological fracture in neoplastic disease, unspecified femur, subsequent encounter for fracture with routine healing
M84.553G	Pathological fracture in neoplastic disease, unspecified femur, subsequent encounter for fracture with delayed healing
M84.553K	Pathological fracture in neoplastic disease, unspecified femur, subsequent encounter for fracture with nonunion
M84.553P	Pathological fracture in neoplastic disease, unspecified femur, subsequent encounter for fracture with malunion
M84.553S	Pathological fracture in neoplastic disease, unspecified femur, sequela
M84.559A	Pathological fracture in neoplastic disease, hip, unspecified, initial encounter for fracture
M84.559D	Pathological fracture in neoplastic disease, hip, unspecified, subsequent encounter for fracture with routine healing
M84.559G	Pathological fracture in neoplastic disease, hip, unspecified, subsequent encounter for fracture with delayed healing
M84.559K	Pathological fracture in neoplastic disease, hip, unspecified, subsequent encounter for fracture with nonunion
M84.559P	Pathological fracture in neoplastic disease, hip, unspecified, subsequent encounter for fracture with malunion

ICD-10 CODE	DESCRIPTION
M84.559S	Pathological fracture in neoplastic disease, hip, unspecified, sequela
M84.650A	Pathological fracture in other disease, pelvis, initial encounter for fracture
M84.650D	Pathological fracture in other disease, pelvis, subsequent encounter for fracture with routine healing
M84.650G	Pathological fracture in other disease, pelvis, subsequent encounter for fracture with delayed healing
M84.650K	Pathological fracture in other disease, pelvis, subsequent encounter for fracture with nonunion
M84.650P	Pathological fracture in other disease, pelvis, subsequent encounter for fracture with malunion
M84.650S	Pathological fracture in other disease, pelvis, sequela
M84.651A	Pathological fracture in other disease, right femur, initial encounter for fracture
M84.651D	Pathological fracture in other disease, right femur, subsequent encounter for fracture with routine healing
M84.651G	Pathological fracture in other disease, right femur, subsequent encounter for fracture with delayed healing
M84.651K	Pathological fracture in other disease, right femur, subsequent encounter for fracture with nonunion
M84.651P	Pathological fracture in other disease, right femur, subsequent encounter for fracture with malunion
M84.651S	Pathological fracture in other disease, right femur, sequela
M84.652A	Pathological fracture in other disease, left femur, initial encounter for fracture
M84.652D	Pathological fracture in other disease, left femur, subsequent encounter for fracture with routine healing
M84.652G	Pathological fracture in other disease, left femur, subsequent encounter for fracture with delayed healing
M84.652K	Pathological fracture in other disease, left femur, subsequent encounter for fracture with nonunion
M84.652P	Pathological fracture in other disease, left femur, subsequent encounter for fracture with malunion
M84.652S	Pathological fracture in other disease, left femur, sequela
M84.653A	Pathological fracture in other disease, unspecified femur, initial encounter for fracture
M84.653D	Pathological fracture in other disease, unspecified femur, subsequent encounter for fracture with routine healing
M84.653G	Pathological fracture in other disease, unspecified femur, subsequent encounter for

ICD-10 CODE	DESCRIPTION
	fracture with delayed healing
M84.653K	Pathological fracture in other disease, unspecified femur, subsequent encounter for fracture with nonunion
M84.653P	Pathological fracture in other disease, unspecified femur, subsequent encounter for fracture with malunion
M84.653S	Pathological fracture in other disease, unspecified femur, sequela
M84.659A	Pathological fracture in other disease, hip, unspecified, initial encounter for fracture
M84.659D	Pathological fracture in other disease, hip, unspecified, subsequent encounter for fracture with routine healing
M84.659G	Pathological fracture in other disease, hip, unspecified, subsequent encounter for fracture with delayed healing
M84.659K	Pathological fracture in other disease, hip, unspecified, subsequent encounter for fracture with nonunion
M84.659P	Pathological fracture in other disease, hip, unspecified, subsequent encounter for fracture with malunion
M84.659S	Pathological fracture in other disease, hip, unspecified, sequela
M84.750A	Atypical femoral fracture, unspecified, initial encounter for fracture
M84.750D	Atypical femoral fracture, unspecified, subsequent encounter for fracture with routine healing
M84.750G	Atypical femoral fracture, unspecified, subsequent encounter for fracture with delayed healing
M84.750K	Atypical femoral fracture, unspecified, subsequent encounter for fracture with nonunion
M84.750P	Atypical femoral fracture, unspecified, subsequent encounter for fracture with malunion
M84.750S	Atypical femoral fracture, unspecified, sequela
M84.751A	Incomplete atypical femoral fracture, right leg, initial encounter for fracture
M84.751D	Incomplete atypical femoral fracture, right leg, subsequent encounter for fracture with routine healing
M84.751G	Incomplete atypical femoral fracture, right leg, subsequent encounter for fracture with delayed healing
M84.751K	Incomplete atypical femoral fracture, right leg, subsequent encounter for fracture with nonunion
M84.751P	Incomplete atypical femoral fracture, right leg, subsequent encounter for fracture with malunion
M84.751S	Incomplete atypical femoral fracture, right leg, sequela

ICD-10 CODE	DESCRIPTION
M84.752A	Incomplete atypical femoral fracture, left leg, initial encounter for fracture
M84.752D	Incomplete atypical femoral fracture, left leg, subsequent encounter for fracture with routine healing
M84.752G	Incomplete atypical femoral fracture, left leg, subsequent encounter for fracture with delayed healing
M84.752K	Incomplete atypical femoral fracture, left leg, subsequent encounter for fracture with nonunion
M84.752P	Incomplete atypical femoral fracture, left leg, subsequent encounter for fracture with malunion
M84.752S	Incomplete atypical femoral fracture, left leg, sequela
M84.753A	Incomplete atypical femoral fracture, unspecified leg, initial encounter for fracture
M84.753D	Incomplete atypical femoral fracture, unspecified leg, subsequent encounter for fracture with routine healing
M84.753G	Incomplete atypical femoral fracture, unspecified leg, subsequent encounter for fracture with delayed healing
M84.753K	Incomplete atypical femoral fracture, unspecified leg, subsequent encounter for fracture with nonunion
M84.753P	Incomplete atypical femoral fracture, unspecified leg, subsequent encounter for fracture with malunion
M84.753S	Incomplete atypical femoral fracture, unspecified leg, sequela
M84.754A	Complete transverse atypical femoral fracture, right leg, initial encounter for fracture
M84.754D	Complete transverse atypical femoral fracture, right leg, subsequent encounter for fracture with routine healing
M84.754G	Complete transverse atypical femoral fracture, right leg, subsequent encounter for fracture with delayed healing
M84.754K	Complete transverse atypical femoral fracture, right leg, subsequent encounter for fracture with nonunion
M84.754P	Complete transverse atypical femoral fracture, right leg, subsequent encounter for fracture with malunion
M84.754S	Complete transverse atypical femoral fracture, right leg, sequela
M84.755A	Complete transverse atypical femoral fracture, left leg, initial encounter for fracture
M84.755D	Complete transverse atypical femoral fracture, left leg, subsequent encounter for fracture with routine healing
M84.755G	Complete transverse atypical femoral fracture, left leg, subsequent encounter for fracture with delayed healing

ICD-10 CODE	DESCRIPTION
M84.755K	Complete transverse atypical femoral fracture, left leg, subsequent encounter for fracture with nonunion
M84.755P	Complete transverse atypical femoral fracture, left leg, subsequent encounter for fracture with malunion
ICD-10 CODE	DESCRIPTION
M84.755S	Complete transverse atypical femoral fracture, left leg, sequela
M84.756A	Complete transverse atypical femoral fracture, unspecified leg, initial encounter for fracture
M84.756D	Complete transverse atypical femoral fracture, unspecified leg, subsequent encounter for fracture with routine healing
M84.756G	Complete transverse atypical femoral fracture, unspecified leg, subsequent encounter for fracture with delayed healing
M84.756K	Complete transverse atypical femoral fracture, unspecified leg, subsequent encounter for fracture with nonunion
M84.756P	Complete transverse atypical femoral fracture, unspecified leg, subsequent encounter for fracture with malunion
M84.756S	Complete transverse atypical femoral fracture, unspecified leg, sequela
M84.757A	Complete oblique atypical femoral fracture, right leg, initial encounter for fracture
M84.757D	Complete oblique atypical femoral fracture, right leg, subsequent encounter for fracture with routine healing
M84.757G	Complete oblique atypical femoral fracture, right leg, subsequent encounter for fracture with delayed healing
M84.757K	Complete oblique atypical femoral fracture, right leg, subsequent encounter for fracture with nonunion
M84.757P	Complete oblique atypical femoral fracture, right leg, subsequent encounter for fracture with malunion
M84.757S	Complete oblique atypical femoral fracture, right leg, sequela
M84.758A	Complete oblique atypical femoral fracture, left leg, initial encounter for fracture
M84.758D	Complete oblique atypical femoral fracture, left leg, subsequent encounter for fracture with routine healing
M84.758G	Complete oblique atypical femoral fracture, left leg, subsequent encounter for fracture with delayed healing
M84.758K	Complete oblique atypical femoral fracture, left leg, subsequent encounter for fracture with nonunion
M84.758P	Complete oblique atypical femoral fracture, left leg, subsequent encounter for fracture with malunion

ICD-10 CODE	DESCRIPTION
M84.758S	Complete oblique atypical femoral fracture, left leg, sequela
M84.759A	Complete oblique atypical femoral fracture, unspecified leg, initial encounter for fracture
M84.759D	Complete oblique atypical femoral fracture, unspecified leg, subsequent encounter for fracture with routine healing
M84.759G	Complete oblique atypical femoral fracture, unspecified leg, subsequent encounter for fracture with delayed healing
M84.759K	Complete oblique atypical femoral fracture, unspecified leg, subsequent encounter for fracture with nonunion
M84.759P	Complete oblique atypical femoral fracture, unspecified leg, subsequent encounter for fracture with malunion
M84.759S	Complete oblique atypical femoral fracture, unspecified leg, sequela
M87.050	Idiopathic aseptic necrosis of pelvis
M87.051	Idiopathic aseptic necrosis of right femur
M87.052	Idiopathic aseptic necrosis of left femur
M87.059	Idiopathic aseptic necrosis of unspecified femur
M87.150	Osteonecrosis due to drugs, pelvis
M87.151	Osteonecrosis due to drugs, right femur
M87.152	Osteonecrosis due to drugs, left femur
M87.159	Osteonecrosis due to drugs, unspecified femur
M87.250	Osteonecrosis due to previous trauma, pelvis
M87.251	Osteonecrosis due to previous trauma, right femur
M87.252	Osteonecrosis due to previous trauma, left femur
M87.256	Osteonecrosis due to previous trauma, unspecified femur
M87.350	Other secondary osteonecrosis, pelvis
M87.351	Other secondary osteonecrosis, right femur
M87.352	Other secondary osteonecrosis, left femur
M87.353	Other secondary osteonecrosis, unspecified femur
M87.850	Other osteonecrosis, pelvis
M87.851	Other osteonecrosis, right femur
M87.852	Other osteonecrosis, left femur
M87.859	Other osteonecrosis, unspecified femur
M88.851	Osteitis deformans of right thigh

ICD-10 CODE	DESCRIPTION
M88.852	Osteitis deformans of left thigh
M88.859	Osteitis deformans of unspecified thigh
M96.65	Fracture of pelvis following insertion of orthopedic implant, joint prosthesis, or bone plate
M96.661	Fracture of femur following insertion of orthopedic implant, joint prosthesis, or bone plate, right leg
M96.662	Fracture of femur following insertion of orthopedic implant, joint prosthesis, or bone plate, left leg
M96.669	Fracture of femur following insertion of orthopedic implant, joint prosthesis, or bone plate, unspecified leg
M97.01XA	Periprosthetic fracture around internal prosthetic right hip joint, initial encounter
M97.01XD	Periprosthetic fracture around internal prosthetic right hip joint, subsequent encounter
M97.01XS	Periprosthetic fracture around internal prosthetic right hip joint, sequela
M97.02XA	Periprosthetic fracture around internal prosthetic left hip joint, initial encounter
M97.02XD	Periprosthetic fracture around internal prosthetic left hip joint, subsequent encounter
M97.02XS	Periprosthetic fracture around internal prosthetic left hip joint, sequela
Q65.00	Congenital dislocation of unspecified hip, unilateral
Q65.01	Congenital dislocation of right hip, unilateral
Q65.02	Congenital dislocation of left hip, unilateral
Q65.2	Congenital dislocation of hip, unspecified
Q65.89	Other specified congenital deformities of hip
Q65.9	Congenital deformity of hip, unspecified
S32.301A	Unspecified fracture of right ilium, initial encounter for closed fracture
S32.301B	Unspecified fracture of right ilium, initial encounter for open fracture
S32.301D	Unspecified fracture of right ilium, subsequent encounter for fracture with routine healing
S32.301G	Unspecified fracture of right ilium, subsequent encounter for fracture with delayed healing
S32.301K	Unspecified fracture of right ilium, subsequent encounter for fracture with nonunion
S32.301S	Unspecified fracture of right ilium, sequela
S32.302A	Unspecified fracture of left ilium, initial encounter for closed fracture
S32.302B	Unspecified fracture of left ilium, initial encounter for open fracture

ICD-10 CODE	DESCRIPTION
S32.302D	Unspecified fracture of left ilium, subsequent encounter for fracture with routine healing
S32.302G	Unspecified fracture of left ilium, subsequent encounter for fracture with delayed healing
S32.302K	Unspecified fracture of left ilium, subsequent encounter for fracture with nonunion
S32.302S	Unspecified fracture of left ilium, sequela
S32.309A	Unspecified fracture of unspecified ilium, initial encounter for closed fracture
S32.309B	Unspecified fracture of unspecified ilium, initial encounter for open fracture
S32.309D	Unspecified fracture of unspecified ilium, subsequent encounter for fracture with routine healing
S32.309G	Unspecified fracture of unspecified ilium, subsequent encounter for fracture with delayed healing
S32.309K	Unspecified fracture of unspecified ilium, subsequent encounter for fracture with nonunion
S32.309S	Unspecified fracture of unspecified ilium, sequela
S32.311A	Displaced avulsion fracture of right ilium, initial encounter for closed fracture
S32.311B	Displaced avulsion fracture of right ilium, initial encounter for open fracture
S32.311D	Displaced avulsion fracture of right ilium, subsequent encounter for fracture with routine healing
S32.311G	Displaced avulsion fracture of right ilium, subsequent encounter for fracture with delayed healing
S32.311K	Displaced avulsion fracture of right ilium, subsequent encounter for fracture with nonunion
S32.311S	Displaced avulsion fracture of right ilium, sequela
S32.312A	Displaced avulsion fracture of left ilium, initial encounter for closed fracture
S32.312B	Displaced avulsion fracture of left ilium, initial encounter for open fracture
S32.312D	Displaced avulsion fracture of left ilium, subsequent encounter for fracture with routine healing
S32.312G	Displaced avulsion fracture of left ilium, subsequent encounter for fracture with delayed healing
S32.312K	Displaced avulsion fracture of left ilium, subsequent encounter for fracture with nonunion
S32.312S	Displaced avulsion fracture of left ilium, sequela
S32.313A	Displaced avulsion fracture of unspecified ilium, initial encounter for closed fracture
S32.313B	Displaced avulsion fracture of unspecified ilium, initial encounter for open fracture

ICD-10 CODE	DESCRIPTION
S32.313D	Displaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with routine healing
S32.313G	Displaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with delayed healing
S32.313K	Displaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with nonunion
S32.313S	Displaced avulsion fracture of unspecified ilium, sequela
ICD-10 CODE	DESCRIPTION
S32.314A	Nondisplaced avulsion fracture of right ilium, initial encounter for closed fracture
S32.314B	Nondisplaced avulsion fracture of right ilium, initial encounter for open fracture
S32.314D	Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with routine healing
S32.314G	Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with delayed healing
S32.314K	Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with nonunion
S32.314S	Nondisplaced avulsion fracture of right ilium, sequela
S32.315A	Nondisplaced avulsion fracture of left ilium, initial encounter for closed fracture
S32.315B	Nondisplaced avulsion fracture of left ilium, initial encounter for open fracture
S32.315D	Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with routine healing
S32.315G	Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with delayed healing
S32.315K	Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with nonunion
S32.315S	Nondisplaced avulsion fracture of left ilium, sequela
S32.316A	Nondisplaced avulsion fracture of unspecified ilium, initial encounter for closed fracture
S32.316B	Nondisplaced avulsion fracture of unspecified ilium, initial encounter for open fracture
S32.316D	Nondisplaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with routine healing
S32.316G	Nondisplaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with delayed healing
S32.316K	Nondisplaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with nonunion

ICD-10 CODE	DESCRIPTION
S32.316S	Nondisplaced avulsion fracture of unspecified ilium, sequela
S32.391A	Other fracture of right ilium, initial encounter for closed fracture
S32.391B	Other fracture of right ilium, initial encounter for open fracture
S32.391D	Other fracture of right ilium, subsequent encounter for fracture with routine healing
S32.391G	Other fracture of right ilium, subsequent encounter for fracture with delayed healing
S32.391K	Other fracture of right ilium, subsequent encounter for fracture with nonunion
S32.391S	Other fracture of right ilium, sequela
S32.392A	Other fracture of left ilium, initial encounter for closed fracture
S32.392B	Other fracture of left ilium, initial encounter for open fracture
S32.392D	Other fracture of left ilium, subsequent encounter for fracture with routine healing
S32.392G	Other fracture of left ilium, subsequent encounter for fracture with delayed healing
S32.392K	Other fracture of left ilium, subsequent encounter for fracture with nonunion
S32.392S	Other fracture of left ilium, sequela
S32.399A	Other fracture of unspecified ilium, initial encounter for closed fracture
S32.399B	Other fracture of unspecified ilium, initial encounter for open fracture
S32.399D	Other fracture of unspecified ilium, subsequent encounter for fracture with routine healing
S32.399G	Other fracture of unspecified ilium, subsequent encounter for fracture with delayed healing
S32.399K	Other fracture of unspecified ilium, subsequent encounter for fracture with nonunion
S32.399S	Other fracture of unspecified ilium, sequela
S32.401A	Unspecified fracture of right acetabulum, initial encounter for closed fracture
S32.401B	Unspecified fracture of right acetabulum, initial encounter for open fracture
S32.401D	Unspecified fracture of right acetabulum, subsequent encounter for fracture with routine healing
S32.401G	Unspecified fracture of right acetabulum, subsequent encounter for fracture with delayed healing
S32.401K	Unspecified fracture of right acetabulum, subsequent encounter for fracture with nonunion
S32.401S	Unspecified fracture of right acetabulum, sequela
S32.402A	Unspecified fracture of left acetabulum, initial encounter for closed fracture
S32.402B	Unspecified fracture of left acetabulum, initial encounter for open fracture
S32.402D	Unspecified fracture of left acetabulum, subsequent encounter for fracture with

ICD-10 CODE	DESCRIPTION
	routine healing
S32.402G	Unspecified fracture of left acetabulum, subsequent encounter for fracture with delayed healing
S32.402K	Unspecified fracture of left acetabulum, subsequent encounter for fracture with nonunion
S32.402S	Unspecified fracture of left acetabulum, sequela
S32.409A	Unspecified fracture of unspecified acetabulum, initial encounter for closed fracture
S32.409B	Unspecified fracture of unspecified acetabulum, initial encounter for open fracture
S32.409D	Unspecified fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing
S32.409G	Unspecified fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
S32.409K	Unspecified fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
S32.409S	Unspecified fracture of unspecified acetabulum, sequela
S32.411A	Displaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture
S32.411B	Displaced fracture of anterior wall of right acetabulum, initial encounter for open fracture
S32.411D	Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with routine healing
S32.411G	Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with delayed healing
S32.411K	Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with nonunion
S32.411S	Displaced fracture of anterior wall of right acetabulum, sequela
S32.412A	Displaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture
S32.412B	Displaced fracture of anterior wall of left acetabulum, initial encounter for open fracture
S32.412D	Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with routine healing
S32.412G	Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with delayed healing
S32.412K	Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with nonunion

ICD-10 CODE	DESCRIPTION
S32.412S	Displaced fracture of anterior wall of left acetabulum, sequela
S32.413A	Displaced fracture of anterior wall of unspecified acetabulum, initial encounter for closed fracture
S32.413B	Displaced fracture of anterior wall of unspecified acetabulum, initial encounter for open fracture
S32.413D	Displaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing
S32.413G	Displaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing
S32.413K	Displaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion
S32.413S	Displaced fracture of anterior wall of unspecified acetabulum, sequela
S32.414A	Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture
S32.414B	Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for open fracture
S32.414D	Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with routine healing
S32.414G	Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with delayed healing
S32.414K	Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with nonunion
S32.414S	Nondisplaced fracture of anterior wall of right acetabulum, sequela
S32.415A	Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture
S32.415B	Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for open fracture
S32.415D	Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with routine healing
S32.415G	Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with delayed healing
S32.415K	Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with nonunion
S32.415S	Nondisplaced fracture of anterior wall of left acetabulum, sequela
S32.416A	Nondisplaced fracture of anterior wall of unspecified acetabulum, initial encounter for closed fracture

ICD-10 CODE	DESCRIPTION
S32.416B	Nondisplaced fracture of anterior wall of unspecified acetabulum, initial encounter for open fracture
S32.416D	Nondisplaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing
S32.416G	Nondisplaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing
S32.416K	Nondisplaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion
S32.416S	Nondisplaced fracture of anterior wall of unspecified acetabulum, sequela
S32.421A	Displaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture
S32.421B	Displaced fracture of posterior wall of right acetabulum, initial encounter for open fracture
S32.421D	Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with routine healing
S32.421G	Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with delayed healing
S32.421K	Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with nonunion
S32.421S	Displaced fracture of posterior wall of right acetabulum, sequela
S32.422A	Displaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture
S32.422B	Displaced fracture of posterior wall of left acetabulum, initial encounter for open fracture
S32.422D	Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with routine healing
S32.422G	Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with delayed healing
ICD-10 CODE	DESCRIPTION
S32.422K	Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with nonunion
S32.422S	Displaced fracture of posterior wall of left acetabulum, sequela
S32.423A	Displaced fracture of posterior wall of unspecified acetabulum, initial encounter for closed fracture
S32.423B	Displaced fracture of posterior wall of unspecified acetabulum, initial encounter for open fracture

ICD-10 CODE	DESCRIPTION
S32.423D	Displaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing
S32.423G	Displaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing
S32.423K	Displaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion
S32.423S	Displaced fracture of posterior wall of unspecified acetabulum, sequela
S32.424A	Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture
S32.424B	Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for open fracture
S32.424D	Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with routine healing
S32.424G	Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with delayed healing
S32.424K	Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with nonunion
S32.424S	Nondisplaced fracture of posterior wall of right acetabulum, sequela
S32.425A	Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture
S32.425B	Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for open fracture
S32.425D	Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with routine healing
S32.425G	Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with delayed healing
S32.425K	Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with nonunion
S32.425S	Nondisplaced fracture of posterior wall of left acetabulum, sequela
S32.426A	Nondisplaced fracture of posterior wall of unspecified acetabulum, initial encounter for closed fracture
S32.426B	Nondisplaced fracture of posterior wall of unspecified acetabulum, initial encounter for open fracture
S32.426D	Nondisplaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing
S32.426G	Nondisplaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing

ICD-10 CODE	DESCRIPTION
S32.426K	Nondisplaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion
S32.426S	Nondisplaced fracture of posterior wall of unspecified acetabulum, sequela
S32.431A	Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture
S32.431B	Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture
S32.431D	Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with routine healing
S32.431G	Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with delayed healing
S32.431K	Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with nonunion
S32.431S	Displaced fracture of anterior column [iliopubic] of right acetabulum, sequela
S32.432A	Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture
S32.432B	Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture
S32.432D	Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with routine healing
S32.432G	Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with delayed healing
S32.432K	Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with nonunion
S32.432S	Displaced fracture of anterior column [iliopubic] of left acetabulum, sequela
S32.433A	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for closed fracture
S32.433B	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for open fracture
S32.433D	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with routine healing
S32.433G	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with delayed healing
S32.433K	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with nonunion
S32.433S	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, sequela

ICD-10 CODE	DESCRIPTION
S32.434A	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture
S32.434B	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture
S32.434D	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with routine healing
S32.434G	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with delayed healing
S32.434K	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with nonunion
S32.434S	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, sequela
S32.435A	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture
S32.435B	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture
S32.435D	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with routine healing
S32.435G	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with delayed healing
S32.435K	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with nonunion
S32.435S	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, sequela
S32.436A	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for closed fracture
S32.436B	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for open fracture
S32.436D	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with routine healing
S32.436G	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with delayed healing
S32.436K	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with nonunion
S32.436S	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, sequela
S32.441A	Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture
S32.441B	Displaced fracture of posterior column [ilioischial] of right acetabulum, initial

ICD-10 CODE	DESCRIPTION
	encounter for open fracture
S32.441D	Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with routine healing
S32.441G	Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with delayed healing
S32.441K	Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with nonunion
S32.441S	Displaced fracture of posterior column [ilioischial] of right acetabulum, sequela
S32.442A	Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture
S32.442B	Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture
S32.442D	Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with routine healing
S32.442G	Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with delayed healing
S32.442K	Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with nonunion
S32.442S	Displaced fracture of posterior column [ilioischial] of left acetabulum, sequela
S32.443A	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for closed fracture
S32.443B	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for open fracture
S32.443D	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with routine healing
S32.443G	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with delayed healing
S32.443K	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with nonunion
S32.443S	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, sequela
S32.444A	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture
S32.444B	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture
S32.444D	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with routine healing

ICD-10 CODE	DESCRIPTION
S32.444G	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with delayed healing
S32.444K	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with nonunion
S32.444S	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, sequela
S32.445A	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture
S32.445B	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture
S32.445D	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with routine healing
S32.445G	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with delayed healing
S32.445K	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with nonunion
S32.445S	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, sequela
S32.446A	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for closed fracture
S32.446B	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for open fracture
S32.446D	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with routine healing
S32.446G	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with delayed healing
S32.446K	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with nonunion
S32.446S	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, sequela
S32.451A	Displaced transverse fracture of right acetabulum, initial encounter for closed fracture
S32.451B	Displaced transverse fracture of right acetabulum, initial encounter for open fracture
ICD-10 CODE	DESCRIPTION
S32.451D	Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with routine healing
S32.451G	Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with delayed healing

ICD-10 CODE	DESCRIPTION
S32.451K	Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with nonunion
S32.451S	Displaced transverse fracture of right acetabulum, sequela
S32.452A	Displaced transverse fracture of left acetabulum, initial encounter for closed fracture
S32.452B	Displaced transverse fracture of left acetabulum, initial encounter for open fracture
S32.452D	Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with routine healing
S32.452G	Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with delayed healing
S32.452K	Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with nonunion
S32.452S	Displaced transverse fracture of left acetabulum, sequela
S32.453A	Displaced transverse fracture of unspecified acetabulum, initial encounter for closed fracture
S32.453B	Displaced transverse fracture of unspecified acetabulum, initial encounter for open fracture
S32.453D	Displaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing
S32.453G	Displaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
S32.453K	Displaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
S32.453S	Displaced transverse fracture of unspecified acetabulum, sequela
S32.454A	Nondisplaced transverse fracture of right acetabulum, initial encounter for closed fracture
S32.454B	Nondisplaced transverse fracture of right acetabulum, initial encounter for open fracture
S32.454D	Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with routine healing
S32.454G	Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with delayed healing
S32.454K	Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with nonunion
S32.454S	Nondisplaced transverse fracture of right acetabulum, sequela
S32.455A	Nondisplaced transverse fracture of left acetabulum, initial encounter for closed fracture

ICD-10 CODE	DESCRIPTION
S32.455B	Nondisplaced transverse fracture of left acetabulum, initial encounter for open fracture
S32.455D	Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with routine healing
S32.455G	Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with delayed healing
S32.455K	Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with nonunion
S32.455S	Nondisplaced transverse fracture of left acetabulum, sequela
S32.456A	Nondisplaced transverse fracture of unspecified acetabulum, initial encounter for closed fracture
S32.456B	Nondisplaced transverse fracture of unspecified acetabulum, initial encounter for open fracture
S32.456D	Nondisplaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing
S32.456G	Nondisplaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
S32.456K	Nondisplaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
S32.456S	Nondisplaced transverse fracture of unspecified acetabulum, sequela
S32.461A	Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture
S32.461B	Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture
S32.461D	Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with routine healing
S32.461G	Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with delayed healing
S32.461K	Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with nonunion
S32.461S	Displaced associated transverse-posterior fracture of right acetabulum, sequela
S32.462A	Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture
S32.462B	Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture
S32.462D	Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with routine healing

ICD-10 CODE	DESCRIPTION
S32.462G	Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with delayed healing
S32.462K	Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with nonunion
S32.462S	Displaced associated transverse-posterior fracture of left acetabulum, sequela
S32.463A	Displaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for closed fracture
S32.463B	Displaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for open fracture
S32.463D	Displaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing
S32.463G	Displaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
S32.463K	Displaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
S32.463S	Displaced associated transverse-posterior fracture of unspecified acetabulum, sequela
S32.464A	Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture
S32.464B	Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture
S32.464D	Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with routine healing
S32.464G	Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with delayed healing
S32.464K	Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with nonunion
S32.464S	Nondisplaced associated transverse-posterior fracture of right acetabulum, sequela
S32.465A	Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture
S32.465B	Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture
S32.465D	Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with routine healing
S32.465G	Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with delayed healing
S32.465K	Nondisplaced associated transverse-posterior fracture of left acetabulum,

ICD-10 CODE	DESCRIPTION
	subsequent encounter for fracture with nonunion
S32.465S	Nondisplaced associated transverse-posterior fracture of left acetabulum, sequela
S32.466A	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for closed fracture
S32.466B	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for open fracture
S32.466D	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing
S32.466G	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
S32.466K	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
S32.466S	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, sequela
S32.471A	Displaced fracture of medial wall of right acetabulum, initial encounter for closed fracture
S32.471B	Displaced fracture of medial wall of right acetabulum, initial encounter for open fracture
S32.471D	Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with routine healing
S32.471G	Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with delayed healing
S32.471K	Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with nonunion
S32.471S	Displaced fracture of medial wall of right acetabulum, sequela
S32.472A	Displaced fracture of medial wall of left acetabulum, initial encounter for closed fracture
S32.472B	Displaced fracture of medial wall of left acetabulum, initial encounter for open fracture
S32.472D	Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with routine healing
S32.472G	Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with delayed healing
S32.472K	Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with nonunion
S32.472S	Displaced fracture of medial wall of left acetabulum, sequela

ICD-10 CODE	DESCRIPTION
S32.473A	Displaced fracture of medial wall of unspecified acetabulum, initial encounter for closed fracture
S32.473B	Displaced fracture of medial wall of unspecified acetabulum, initial encounter for open fracture
S32.473D	Displaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with routine healing
S32.473G	Displaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing
S32.473K	Displaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with nonunion
S32.473S	Displaced fracture of medial wall of unspecified acetabulum, sequela
S32.474A	Nondisplaced fracture of medial wall of right acetabulum, initial encounter for closed fracture
S32.474B	Nondisplaced fracture of medial wall of right acetabulum, initial encounter for open fracture
S32.474D	Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with routine healing
S32.474G	Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with delayed healing
S32.474K	Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with nonunion
S32.474S	Nondisplaced fracture of medial wall of right acetabulum, sequela
S32.475A	Nondisplaced fracture of medial wall of left acetabulum, initial encounter for closed fracture
S32.475B	Nondisplaced fracture of medial wall of left acetabulum, initial encounter for open fracture
S32.475D	Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with routine healing
S32.475G	Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with delayed healing
S32.475K	Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with nonunion
S32.475S	Nondisplaced fracture of medial wall of left acetabulum, sequela
ICD-10 CODE	DESCRIPTION
S32.476A	Nondisplaced fracture of medial wall of unspecified acetabulum, initial encounter for closed fracture

ICD-10 CODE	DESCRIPTION
S32.476B	Nondisplaced fracture of medial wall of unspecified acetabulum, initial encounter for open fracture
S32.476D	Nondisplaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with routine healing
S32.476G	Nondisplaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing
S32.476K	Nondisplaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with nonunion
S32.476S	Nondisplaced fracture of medial wall of unspecified acetabulum, sequela
S32.481A	Displaced dome fracture of right acetabulum, initial encounter for closed fracture
S32.481B	Displaced dome fracture of right acetabulum, initial encounter for open fracture
S32.481D	Displaced dome fracture of right acetabulum, subsequent encounter for fracture with routine healing
S32.481G	Displaced dome fracture of right acetabulum, subsequent encounter for fracture with delayed healing
S32.481K	Displaced dome fracture of right acetabulum, subsequent encounter for fracture with nonunion
S32.481S	Displaced dome fracture of right acetabulum, sequela
S32.482A	Displaced dome fracture of left acetabulum, initial encounter for closed fracture
S32.482B	Displaced dome fracture of left acetabulum, initial encounter for open fracture
S32.482D	Displaced dome fracture of left acetabulum, subsequent encounter for fracture with routine healing
S32.482G	Displaced dome fracture of left acetabulum, subsequent encounter for fracture with delayed healing
S32.482K	Displaced dome fracture of left acetabulum, subsequent encounter for fracture with nonunion
S32.482S	Displaced dome fracture of left acetabulum, sequela
S32.483A	Displaced dome fracture of unspecified acetabulum, initial encounter for closed fracture
S32.483B	Displaced dome fracture of unspecified acetabulum, initial encounter for open fracture
S32.483D	Displaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing
S32.483G	Displaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
S32.483K	Displaced dome fracture of unspecified acetabulum, subsequent encounter for

ICD-10 CODE	DESCRIPTION
	fracture with nonunion
S32.483S	Displaced dome fracture of unspecified acetabulum, sequela
S32.484A	Nondisplaced dome fracture of right acetabulum, initial encounter for closed fracture
S32.484B	Nondisplaced dome fracture of right acetabulum, initial encounter for open fracture
S32.484D	Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with routine healing
S32.484G	Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with delayed healing
S32.484K	Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with nonunion
S32.484S	Nondisplaced dome fracture of right acetabulum, sequela
S32.485A	Nondisplaced dome fracture of left acetabulum, initial encounter for closed fracture
S32.485B	Nondisplaced dome fracture of left acetabulum, initial encounter for open fracture
S32.485D	Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with routine healing
S32.485G	Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with delayed healing
S32.485K	Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with nonunion
S32.485S	Nondisplaced dome fracture of left acetabulum, sequela
S32.486A	Nondisplaced dome fracture of unspecified acetabulum, initial encounter for closed fracture
S32.486B	Nondisplaced dome fracture of unspecified acetabulum, initial encounter for open fracture
S32.486D	Nondisplaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing
S32.486G	Nondisplaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
S32.486K	Nondisplaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
S32.486S	Nondisplaced dome fracture of unspecified acetabulum, sequela
S32.491A	Other specified fracture of right acetabulum, initial encounter for closed fracture
S32.491B	Other specified fracture of right acetabulum, initial encounter for open fracture
S32.491D	Other specified fracture of right acetabulum, subsequent encounter for fracture with routine healing

ICD-10 CODE	DESCRIPTION
S32.491G	Other specified fracture of right acetabulum, subsequent encounter for fracture with delayed healing
S32.491K	Other specified fracture of right acetabulum, subsequent encounter for fracture with nonunion
S32.491S	Other specified fracture of right acetabulum, sequela
S32.492A	Other specified fracture of left acetabulum, initial encounter for closed fracture
S32.492B	Other specified fracture of left acetabulum, initial encounter for open fracture
S32.492D	Other specified fracture of left acetabulum, subsequent encounter for fracture with routine healing
S32.492G	Other specified fracture of left acetabulum, subsequent encounter for fracture with delayed healing
S32.492K	Other specified fracture of left acetabulum, subsequent encounter for fracture with nonunion
S32.492S	Other specified fracture of left acetabulum, sequela
S32.499A	Other specified fracture of unspecified acetabulum, initial encounter for closed fracture
S32.499B	Other specified fracture of unspecified acetabulum, initial encounter for open fracture
S32.499D	Other specified fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing
S32.499G	Other specified fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing
S32.499K	Other specified fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion
S32.499S	Other specified fracture of unspecified acetabulum, sequela
S32.501A	Unspecified fracture of right pubis, initial encounter for closed fracture
S32.501B	Unspecified fracture of right pubis, initial encounter for open fracture
S32.501D	Unspecified fracture of right pubis, subsequent encounter for fracture with routine healing
S32.501G	Unspecified fracture of right pubis, subsequent encounter for fracture with delayed healing
S32.501K	Unspecified fracture of right pubis, subsequent encounter for fracture with nonunion
S32.501S	Unspecified fracture of right pubis, sequela
S32.502A	Unspecified fracture of left pubis, initial encounter for closed fracture
S32.502B	Unspecified fracture of left pubis, initial encounter for open fracture

ICD-10 CODE	DESCRIPTION
S32.502D	Unspecified fracture of left pubis, subsequent encounter for fracture with routine healing
S32.502G	Unspecified fracture of left pubis, subsequent encounter for fracture with delayed healing
S32.502K	Unspecified fracture of left pubis, subsequent encounter for fracture with nonunion
S32.502S	Unspecified fracture of left pubis, sequela
S32.509A	Unspecified fracture of unspecified pubis, initial encounter for closed fracture
S32.509B	Unspecified fracture of unspecified pubis, initial encounter for open fracture
S32.509D	Unspecified fracture of unspecified pubis, subsequent encounter for fracture with routine healing
S32.509G	Unspecified fracture of unspecified pubis, subsequent encounter for fracture with delayed healing
S32.509K	Unspecified fracture of unspecified pubis, subsequent encounter for fracture with nonunion
S32.509S	Unspecified fracture of unspecified pubis, sequela
S32.511A	Fracture of superior rim of right pubis, initial encounter for closed fracture
S32.511B	Fracture of superior rim of right pubis, initial encounter for open fracture
S32.511D	Fracture of superior rim of right pubis, subsequent encounter for fracture with routine healing
S32.511G	Fracture of superior rim of right pubis, subsequent encounter for fracture with delayed healing
S32.511K	Fracture of superior rim of right pubis, subsequent encounter for fracture with nonunion
S32.511S	Fracture of superior rim of right pubis, sequela
S32.512A	Fracture of superior rim of left pubis, initial encounter for closed fracture
S32.512B	Fracture of superior rim of left pubis, initial encounter for open fracture
S32.512D	Fracture of superior rim of left pubis, subsequent encounter for fracture with routine healing
S32.512G	Fracture of superior rim of left pubis, subsequent encounter for fracture with delayed healing
S32.512K	Fracture of superior rim of left pubis, subsequent encounter for fracture with nonunion
S32.512S	Fracture of superior rim of left pubis, sequela
S32.519A	Fracture of superior rim of unspecified pubis, initial encounter for closed fracture
S32.519B	Fracture of superior rim of unspecified pubis, initial encounter for open fracture

ICD-10 CODE	DESCRIPTION
S32.519D	Fracture of superior rim of unspecified pubis, subsequent encounter for fracture with routine healing
S32.519G	Fracture of superior rim of unspecified pubis, subsequent encounter for fracture with delayed healing
S32.519K	Fracture of superior rim of unspecified pubis, subsequent encounter for fracture with nonunion
S32.519S	Fracture of superior rim of unspecified pubis, sequela
S32.591A	Other specified fracture of right pubis, initial encounter for closed fracture
S32.591B	Other specified fracture of right pubis, initial encounter for open fracture
S32.591D	Other specified fracture of right pubis, subsequent encounter for fracture with routine healing
S32.591G	Other specified fracture of right pubis, subsequent encounter for fracture with delayed healing
ICD-10 CODE	DESCRIPTION
S32.591K	Other specified fracture of right pubis, subsequent encounter for fracture with nonunion
S32.591S	Other specified fracture of right pubis, sequela
S32.592A	Other specified fracture of left pubis, initial encounter for closed fracture
S32.592B	Other specified fracture of left pubis, initial encounter for open fracture
S32.592D	Other specified fracture of left pubis, subsequent encounter for fracture with routine healing
S32.592G	Other specified fracture of left pubis, subsequent encounter for fracture with delayed healing
S32.592K	Other specified fracture of left pubis, subsequent encounter for fracture with nonunion
S32.592S	Other specified fracture of left pubis, sequela
S32.599A	Other specified fracture of unspecified pubis, initial encounter for closed fracture
S32.599B	Other specified fracture of unspecified pubis, initial encounter for open fracture
S32.599D	Other specified fracture of unspecified pubis, subsequent encounter for fracture with routine healing
S32.599G	Other specified fracture of unspecified pubis, subsequent encounter for fracture with delayed healing
S32.599K	Other specified fracture of unspecified pubis, subsequent encounter for fracture with nonunion
S32.599S	Other specified fracture of unspecified pubis, sequela

ICD-10 CODE	DESCRIPTION
S32.601A	Unspecified fracture of right ischium, initial encounter for closed fracture
S32.601B	Unspecified fracture of right ischium, initial encounter for open fracture
S32.601D	Unspecified fracture of right ischium, subsequent encounter for fracture with routine healing
S32.601G	Unspecified fracture of right ischium, subsequent encounter for fracture with delayed healing
S32.601K	Unspecified fracture of right ischium, subsequent encounter for fracture with nonunion
S32.601S	Unspecified fracture of right ischium, sequela
S32.602A	Unspecified fracture of left ischium, initial encounter for closed fracture
S32.602B	Unspecified fracture of left ischium, initial encounter for open fracture
S32.602D	Unspecified fracture of left ischium, subsequent encounter for fracture with routine healing
S32.602G	Unspecified fracture of left ischium, subsequent encounter for fracture with delayed healing
S32.602K	Unspecified fracture of left ischium, subsequent encounter for fracture with nonunion
S32.602S	Unspecified fracture of left ischium, sequela
S32.609A	Unspecified fracture of unspecified ischium, initial encounter for closed fracture
S32.609B	Unspecified fracture of unspecified ischium, initial encounter for open fracture
S32.609D	Unspecified fracture of unspecified ischium, subsequent encounter for fracture with routine healing
S32.609G	Unspecified fracture of unspecified ischium, subsequent encounter for fracture with delayed healing
S32.609K	Unspecified fracture of unspecified ischium, subsequent encounter for fracture with nonunion
S32.609S	Unspecified fracture of unspecified ischium, sequela
S32.611A	Displaced avulsion fracture of right ischium, initial encounter for closed fracture
S32.611B	Displaced avulsion fracture of right ischium, initial encounter for open fracture
S32.611D	Displaced avulsion fracture of right ischium, subsequent encounter for fracture with routine healing
S32.611G	Displaced avulsion fracture of right ischium, subsequent encounter for fracture with delayed healing
S32.611K	Displaced avulsion fracture of right ischium, subsequent encounter for fracture with nonunion

ICD-10 CODE	DESCRIPTION
S32.611S	Displaced avulsion fracture of right ischium, sequela
S32.612A	Displaced avulsion fracture of left ischium, initial encounter for closed fracture
S32.612B	Displaced avulsion fracture of left ischium, initial encounter for open fracture
S32.612D	Displaced avulsion fracture of left ischium, subsequent encounter for fracture with routine healing
S32.612G	Displaced avulsion fracture of left ischium, subsequent encounter for fracture with delayed healing
S32.612K	Displaced avulsion fracture of left ischium, subsequent encounter for fracture with nonunion
S32.612S	Displaced avulsion fracture of left ischium, sequela
S32.613A	Displaced avulsion fracture of unspecified ischium, initial encounter for closed fracture
S32.613B	Displaced avulsion fracture of unspecified ischium, initial encounter for open fracture
S32.613D	Displaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with routine healing
S32.613G	Displaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with delayed healing
S32.613K	Displaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with nonunion
S32.613S	Displaced avulsion fracture of unspecified ischium, sequela
S32.614A	Nondisplaced avulsion fracture of right ischium, initial encounter for closed fracture
S32.614B	Nondisplaced avulsion fracture of right ischium, initial encounter for open fracture
S32.614D	Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with routine healing
S32.614G	Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with delayed healing
S32.614K	Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with nonunion
S32.614S	Nondisplaced avulsion fracture of right ischium, sequela
S32.615A	Nondisplaced avulsion fracture of left ischium, initial encounter for closed fracture
S32.615B	Nondisplaced avulsion fracture of left ischium, initial encounter for open fracture
S32.615D	Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with routine healing
S32.615G	Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with delayed healing

ICD-10 CODE	DESCRIPTION
S32.615K	Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with nonunion
S32.615S	Nondisplaced avulsion fracture of left ischium, sequela
S32.616A	Nondisplaced avulsion fracture of unspecified ischium, initial encounter for closed fracture
S32.616B	Nondisplaced avulsion fracture of unspecified ischium, initial encounter for open fracture
S32.616D	Nondisplaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with routine healing
S32.616G	Nondisplaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with delayed healing
S32.616K	Nondisplaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with nonunion
S32.616S	Nondisplaced avulsion fracture of unspecified ischium, sequela
S32.691A	Other specified fracture of right ischium, initial encounter for closed fracture
S32.691B	Other specified fracture of right ischium, initial encounter for open fracture
S32.691D	Other specified fracture of right ischium, subsequent encounter for fracture with routine healing
S32.691G	Other specified fracture of right ischium, subsequent encounter for fracture with delayed healing
S32.691K	Other specified fracture of right ischium, subsequent encounter for fracture with nonunion
S32.691S	Other specified fracture of right ischium, sequela
S32.692A	Other specified fracture of left ischium, initial encounter for closed fracture
S32.692B	Other specified fracture of left ischium, initial encounter for open fracture
S32.692D	Other specified fracture of left ischium, subsequent encounter for fracture with routine healing
S32.692G	Other specified fracture of left ischium, subsequent encounter for fracture with delayed healing
S32.692K	Other specified fracture of left ischium, subsequent encounter for fracture with nonunion
S32.692S	Other specified fracture of left ischium, sequela
S32.699A	Other specified fracture of unspecified ischium, initial encounter for closed fracture
S32.699B	Other specified fracture of unspecified ischium, initial encounter for open fracture
S32.699D	Other specified fracture of unspecified ischium, subsequent encounter for fracture

ICD-10 CODE	DESCRIPTION
	with routine healing
S32.699G	Other specified fracture of unspecified ischium, subsequent encounter for fracture with delayed healing
S32.699K	Other specified fracture of unspecified ischium, subsequent encounter for fracture with nonunion
S32.699S	Other specified fracture of unspecified ischium, sequela
S32.810A	Multiple fractures of pelvis with stable disruption of pelvic ring, initial encounter for closed fracture
S32.810B	Multiple fractures of pelvis with stable disruption of pelvic ring, initial encounter for open fracture
S32.810D	Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with routine healing
S32.810G	Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with delayed healing
S32.810K	Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with nonunion
S32.810S	Multiple fractures of pelvis with stable disruption of pelvic ring, sequela
S32.811A	Multiple fractures of pelvis with unstable disruption of pelvic ring, initial encounter for closed fracture
S32.811B	Multiple fractures of pelvis with unstable disruption of pelvic ring, initial encounter for open fracture
S32.811D	Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with routine healing
S32.811G	Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with delayed healing
S32.811K	Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with nonunion
S32.811S	Multiple fractures of pelvis with unstable disruption of pelvic ring, sequela
S32.82XA	Multiple fractures of pelvis without disruption of pelvic ring, initial encounter for closed fracture
S32.82XB	Multiple fractures of pelvis without disruption of pelvic ring, initial encounter for open fracture
ICD-10 CODE	DESCRIPTION
S32.82XD	Multiple fractures of pelvis without disruption of pelvic ring, subsequent encounter for fracture with routine healing
S32.82XG	Multiple fractures of pelvis without disruption of pelvic ring, subsequent encounter

ICD-10 CODE	DESCRIPTION
	for fracture with delayed healing
S32.82XK	Multiple fractures of pelvis without disruption of pelvic ring, subsequent encounter for fracture with nonunion
S32.82XS	Multiple fractures of pelvis without disruption of pelvic ring, sequela
S32.89XA	Fracture of other parts of pelvis, initial encounter for closed fracture
S32.89XB	Fracture of other parts of pelvis, initial encounter for open fracture
S32.89XD	Fracture of other parts of pelvis, subsequent encounter for fracture with routine healing
S32.89XG	Fracture of other parts of pelvis, subsequent encounter for fracture with delayed healing
S32.89XK	Fracture of other parts of pelvis, subsequent encounter for fracture with nonunion
S32.89XS	Fracture of other parts of pelvis, sequela
S32.9XXA	Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for closed fracture
S32.9XXB	Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for open fracture
S32.9XXD	Fracture of unspecified parts of lumbosacral spine and pelvis, subsequent encounter for fracture with routine healing
S32.9XXG	Fracture of unspecified parts of lumbosacral spine and pelvis, subsequent encounter for fracture with delayed healing
S32.9XXK	Fracture of unspecified parts of lumbosacral spine and pelvis, subsequent encounter for fracture with nonunion
S32.9XXS	Fracture of unspecified parts of lumbosacral spine and pelvis, sequela
S72.001A	Fracture of unspecified part of neck of right femur, initial encounter for closed fracture
S72.001B	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type I or II
S72.001C	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.001D	Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with routine healing
S72.001E	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.001F	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.001G	Fracture of unspecified part of neck of right femur, subsequent encounter for closed

ICD-10 CODE	DESCRIPTION
	fracture with delayed healing
S72.001H	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.001J	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.001K	Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with nonunion
S72.001M	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.001N	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.001P	Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with malunion
S72.001Q	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with malunion
S72.001R	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.001S	Fracture of unspecified part of neck of right femur, sequela
S72.002A	Fracture of unspecified part of neck of left femur, initial encounter for closed fracture
S72.002B	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type I or II
S72.002C	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.002D	Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with routine healing
S72.002E	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.002F	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.002G	Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with delayed healing
S72.002H	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.002J	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.002K	Fracture of unspecified part of neck of left femur, subsequent encounter for closed

ICD-10 CODE	DESCRIPTION
	fracture with nonunion
S72.002M	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.002N	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.002P	Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with malunion
S72.002Q	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with malunion
S72.002R	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.002S	Fracture of unspecified part of neck of left femur, sequela
S72.009A	Fracture of unspecified part of neck of unspecified femur, initial encounter for closed fracture
S72.009B	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type I or II
S72.009C	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.009D	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.009E	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.009F	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.009G	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.009H	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.009J	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.009K	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.009M	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.009N	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.009P	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for

ICD-10 CODE	DESCRIPTION
	closed fracture with malunion
S72.009Q	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.009R	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.009S	Fracture of unspecified part of neck of unspecified femur, sequela
S72.011A	Unspecified intracapsular fracture of right femur, initial encounter for closed fracture
S72.011B	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type I or II
S72.011C	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.011D	Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with routine healing
S72.011E	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.011F	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.011G	Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with delayed healing
S72.011H	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.011J	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.011K	Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with nonunion
S72.011M	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.011N	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.011P	Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with malunion
S72.011Q	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with malunion
S72.011R	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.011S	Unspecified intracapsular fracture of right femur, sequela

ICD-10 CODE	DESCRIPTION
S72.012A	Unspecified intracapsular fracture of left femur, initial encounter for closed fracture
S72.012B	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type I or II
S72.012C	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.012D	Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with routine healing
S72.012E	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.012F	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.012G	Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with delayed healing
S72.012H	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.012J	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.012K	Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with nonunion
S72.012M	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.012N	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.012P	Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with malunion
S72.012Q	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with malunion
S72.012R	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.012S	Unspecified intracapsular fracture of left femur, sequela
S72.019A	Unspecified intracapsular fracture of unspecified femur, initial encounter for closed fracture
S72.019B	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type I or II
S72.019C	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.019D	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for

ICD-10 CODE	DESCRIPTION
	closed fracture with routine healing
ICD-10 CODE	DESCRIPTION
S72.019E	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.019F	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.019G	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.019H	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.019J	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.019K	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.019M	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.019N	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.019P	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with malunion
S72.019Q	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.019R	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.019S	Unspecified intracapsular fracture of unspecified femur, sequela
S72.021A	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture
S72.021B	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II
S72.021C	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.021D	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with routine healing
S72.021E	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.021F	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing

ICD-10 CODE	DESCRIPTION
S72.021G	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with delayed healing
S72.021H	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.021J	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.021K	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with nonunion
S72.021M	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.021N	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.021P	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with malunion
S72.021Q	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with malunion
S72.021R	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.021S	Displaced fracture of epiphysis (separation) (upper) of right femur, sequela
S72.022A	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture
S72.022B	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II
S72.022C	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.022D	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with routine healing
S72.022E	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.022F	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.022G	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with delayed healing
S72.022H	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.022J	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing

ICD-10 CODE	DESCRIPTION
S72.022K	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with nonunion
S72.022M	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.022N	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.022P	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with malunion
S72.022Q	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with malunion
S72.022R	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.022S	Displaced fracture of epiphysis (separation) (upper) of left femur, sequela
S72.023A	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture
S72.023B	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II
S72.023C	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.023D	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.023E	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.023F	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.023G	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.023H	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.023J	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.023K	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.023M	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.023N	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion

ICD-10 CODE	DESCRIPTION
S72.023P	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with malunion
S72.023Q	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.023R	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.023S	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, sequela
S72.024A	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture
S72.024B	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II
S72.024C	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.024D	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with routine healing
S72.024E	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.024F	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.024G	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with delayed healing
S72.024H	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.024J	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.024K	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with nonunion
S72.024M	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.024N	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.024P	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with malunion
S72.024Q	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with malunion
S72.024R	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion

ICD-10 CODE	DESCRIPTION
S72.024S	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, sequela
S72.025A	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture
S72.025B	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II
S72.025C	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.025D	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with routine healing
S72.025E	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.025F	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.025G	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with delayed healing
S72.025H	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.025J	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.025K	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with nonunion
S72.025M	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.025N	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.025P	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with malunion
S72.025Q	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with malunion
S72.025R	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.025S	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, sequela
S72.026A	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture
S72.026B	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II
S72.026C	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial

ICD-10 CODE	DESCRIPTION
	encounter for open fracture type IIIA, IIIB, or IIIC
S72.026D	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.026E	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.026F	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.026G	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.026H	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10 CODE	DESCRIPTION
S72.026J	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.026K	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.026M	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.026N	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.026P	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with malunion
S72.026Q	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.026R	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.026S	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, sequela
S72.031A	Displaced midcervical fracture of right femur, initial encounter for closed fracture
S72.031B	Displaced midcervical fracture of right femur, initial encounter for open fracture type I or II
S72.031C	Displaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.031D	Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with routine healing
S72.031E	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with routine healing

ICD-10 CODE	DESCRIPTION
S72.031F	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.031G	Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with delayed healing
S72.031H	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.031J	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.031K	Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with nonunion
S72.031M	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.031N	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.031P	Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with malunion
S72.031Q	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with malunion
S72.031R	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.031S	Displaced midcervical fracture of right femur, sequela
S72.032A	Displaced midcervical fracture of left femur, initial encounter for closed fracture
S72.032B	Displaced midcervical fracture of left femur, initial encounter for open fracture type I or II
S72.032C	Displaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.032D	Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with routine healing
S72.032E	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.032F	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.032G	Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with delayed healing
S72.032H	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.032J	Displaced midcervical fracture of left femur, subsequent encounter for open fracture

ICD-10 CODE	DESCRIPTION
	type IIIA, IIIB, or IIIC with delayed healing
S72.032K	Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with nonunion
S72.032M	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.032N	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.032P	Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with malunion
S72.032Q	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with malunion
S72.032R	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.032S	Displaced midcervical fracture of left femur, sequela
S72.033A	Displaced midcervical fracture of unspecified femur, initial encounter for closed fracture
S72.033B	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II
S72.033C	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.033D	Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.033E	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.033F	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.033G	Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.033H	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.033J	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.033K	Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.033M	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.033N	Displaced midcervical fracture of unspecified femur, subsequent encounter for open

ICD-10 CODE	DESCRIPTION
	fracture type IIIA, IIIB, or IIIC with nonunion
S72.033P	Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with malunion
S72.033Q	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.033R	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.033S	Displaced midcervical fracture of unspecified femur, sequela
S72.034A	Nondisplaced midcervical fracture of right femur, initial encounter for closed fracture
S72.034B	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type I or II
S72.034C	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.034D	Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with routine healing
S72.034E	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.034F	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.034G	Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with delayed healing
S72.034H	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.034J	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.034K	Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with nonunion
S72.034M	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.034N	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.034P	Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with malunion
S72.034Q	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with malunion
S72.034R	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion

ICD-10 CODE	DESCRIPTION
S72.034S	Nondisplaced midcervical fracture of right femur, sequela
S72.035A	Nondisplaced midcervical fracture of left femur, initial encounter for closed fracture
S72.035B	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type I or II
S72.035C	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.035D	Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with routine healing
S72.035E	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.035F	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.035G	Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with delayed healing
S72.035H	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.035J	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.035K	Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with nonunion
S72.035M	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.035N	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.035P	Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with malunion
S72.035Q	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with malunion
S72.035R	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.035S	Nondisplaced midcervical fracture of left femur, sequela
S72.036A	Nondisplaced midcervical fracture of unspecified femur, initial encounter for closed fracture
S72.036B	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II
S72.036C	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC

ICD-10 CODE	DESCRIPTION
S72.036D	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.036E	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.036F	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.036G	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.036H	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.036J	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.036K	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.036M	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.036N	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10 CODE	DESCRIPTION
S72.036P	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with malunion
S72.036Q	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.036R	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.036S	Nondisplaced midcervical fracture of unspecified femur, sequela
S72.041A	Displaced fracture of base of neck of right femur, initial encounter for closed fracture
S72.041B	Displaced fracture of base of neck of right femur, initial encounter for open fracture type I or II
S72.041C	Displaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.041D	Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with routine healing
S72.041E	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.041F	Displaced fracture of base of neck of right femur, subsequent encounter for open

ICD-10 CODE	DESCRIPTION
	fracture type IIIA, IIIB, or IIIC with routine healing
S72.041G	Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with delayed healing
S72.041H	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.041J	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.041K	Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with nonunion
S72.041M	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.041N	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.041P	Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with malunion
S72.041Q	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with malunion
S72.041R	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.041S	Displaced fracture of base of neck of right femur, sequela
S72.042A	Displaced fracture of base of neck of left femur, initial encounter for closed fracture
S72.042B	Displaced fracture of base of neck of left femur, initial encounter for open fracture type I or II
S72.042C	Displaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.042D	Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with routine healing
S72.042E	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.042F	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.042G	Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with delayed healing
S72.042H	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.042J	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing

ICD-10 CODE	DESCRIPTION
S72.042K	Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with nonunion
S72.042M	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.042N	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.042P	Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with malunion
S72.042Q	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with malunion
S72.042R	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.042S	Displaced fracture of base of neck of left femur, sequela
S72.043A	Displaced fracture of base of neck of unspecified femur, initial encounter for closed fracture
S72.043B	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II
S72.043C	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.043D	Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.043E	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.043F	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.043G	Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.043H	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.043J	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.043K	Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.043M	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.043N	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion

ICD-10 CODE	DESCRIPTION
S72.043P	Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with malunion
S72.043Q	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.043R	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.043S	Displaced fracture of base of neck of unspecified femur, sequela
S72.044A	Nondisplaced fracture of base of neck of right femur, initial encounter for closed fracture
S72.044B	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type I or II
S72.044C	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.044D	Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with routine healing
S72.044E	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.044F	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.044G	Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with delayed healing
S72.044H	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.044J	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.044K	Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with nonunion
S72.044M	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.044N	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.044P	Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with malunion
S72.044Q	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with malunion
S72.044R	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion

ICD-10 CODE	DESCRIPTION
S72.044S	Nondisplaced fracture of base of neck of right femur, sequela
S72.045A	Nondisplaced fracture of base of neck of left femur, initial encounter for closed fracture
S72.045B	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type I or II
S72.045C	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.045D	Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with routine healing
S72.045E	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.045F	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.045G	Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with delayed healing
S72.045H	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.045J	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.045K	Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with nonunion
S72.045M	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.045N	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.045P	Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with malunion
S72.045Q	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with malunion
S72.045R	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.045S	Nondisplaced fracture of base of neck of left femur, sequela
S72.046A	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for closed fracture
S72.046B	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II
S72.046C	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for

ICD-10 CODE	DESCRIPTION
	open fracture type IIIA, IIIB, or IIIC
S72.046D	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.046E	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.046F	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.046G	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.046H	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.046J	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.046K	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.046M	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.046N	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.046P	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with malunion
S72.046Q	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.046R	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.046S	Nondisplaced fracture of base of neck of unspecified femur, sequela
ICD-10 CODE	DESCRIPTION
S72.051A	Unspecified fracture of head of right femur, initial encounter for closed fracture
S72.051B	Unspecified fracture of head of right femur, initial encounter for open fracture type I or II
S72.051C	Unspecified fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.051D	Unspecified fracture of head of right femur, subsequent encounter for closed fracture with routine healing
S72.051E	Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing

ICD-10 CODE	DESCRIPTION
S72.051F	Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.051G	Unspecified fracture of head of right femur, subsequent encounter for closed fracture with delayed healing
S72.051H	Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.051J	Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.051K	Unspecified fracture of head of right femur, subsequent encounter for closed fracture with nonunion
S72.051M	Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.051N	Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.051P	Unspecified fracture of head of right femur, subsequent encounter for closed fracture with malunion
S72.051Q	Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion
S72.051R	Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.051S	Unspecified fracture of head of right femur, sequela
S72.052A	Unspecified fracture of head of left femur, initial encounter for closed fracture
S72.052B	Unspecified fracture of head of left femur, initial encounter for open fracture type I or II
S72.052C	Unspecified fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.052D	Unspecified fracture of head of left femur, subsequent encounter for closed fracture with routine healing
S72.052E	Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.052F	Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.052G	Unspecified fracture of head of left femur, subsequent encounter for closed fracture with delayed healing
S72.052H	Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.052J	Unspecified fracture of head of left femur, subsequent encounter for open fracture

ICD-10 CODE	DESCRIPTION
	type IIIA, IIIB, or IIIC with delayed healing
S72.052K	Unspecified fracture of head of left femur, subsequent encounter for closed fracture with nonunion
S72.052M	Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.052N	Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.052P	Unspecified fracture of head of left femur, subsequent encounter for closed fracture with malunion
S72.052Q	Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion
S72.052R	Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.052S	Unspecified fracture of head of left femur, sequela
S72.059A	Unspecified fracture of head of unspecified femur, initial encounter for closed fracture
S72.059B	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type I or II
S72.059C	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.059D	Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.059E	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.059F	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.059G	Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.059H	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.059J	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.059K	Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.059M	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.059N	Unspecified fracture of head of unspecified femur, subsequent encounter for open

ICD-10 CODE	DESCRIPTION
	fracture type IIIA, IIIB, or IIIC with nonunion
S72.059P	Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with malunion
S72.059Q	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.059R	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.059S	Unspecified fracture of head of unspecified femur, sequela
S72.061A	Displaced articular fracture of head of right femur, initial encounter for closed fracture
S72.061B	Displaced articular fracture of head of right femur, initial encounter for open fracture type I or II
S72.061C	Displaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.061D	Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with routine healing
S72.061E	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.061F	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.061G	Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with delayed healing
S72.061H	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.061J	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.061K	Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with nonunion
S72.061M	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.061N	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.061P	Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with malunion
S72.061Q	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion
S72.061R	Displaced articular fracture of head of right femur, subsequent encounter for open

ICD-10 CODE	DESCRIPTION
	fracture type IIIA, IIIB, or IIIC with malunion
S72.061S	Displaced articular fracture of head of right femur, sequela
S72.062A	Displaced articular fracture of head of left femur, initial encounter for closed fracture
S72.062B	Displaced articular fracture of head of left femur, initial encounter for open fracture type I or II
S72.062C	Displaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.062D	Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with routine healing
S72.062E	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.062F	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.062G	Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with delayed healing
S72.062H	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.062J	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.062K	Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with nonunion
S72.062M	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.062N	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.062P	Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with malunion
S72.062Q	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion
S72.062R	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.062S	Displaced articular fracture of head of left femur, sequela
S72.063A	Displaced articular fracture of head of unspecified femur, initial encounter for closed fracture
S72.063B	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II

ICD-10 CODE	DESCRIPTION
S72.063C	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.063D	Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.063E	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.063F	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.063G	Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.063H	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.063J	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.063K	Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.063M	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.063N	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.063P	Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with malunion
S72.063Q	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.063R	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.063S	Displaced articular fracture of head of unspecified femur, sequela
S72.064A	Nondisplaced articular fracture of head of right femur, initial encounter for closed fracture
S72.064B	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type I or II
S72.064C	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.064D	Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with routine healing
ICD-10 CODE	DESCRIPTION
S72.064E	Nondisplaced articular fracture of head of right femur, subsequent encounter for

ICD-10 CODE	DESCRIPTION
	open fracture type I or II with routine healing
S72.064F	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.064G	Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with delayed healing
S72.064H	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.064J	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.064K	Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with nonunion
S72.064M	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.064N	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.064P	Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with malunion
S72.064Q	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion
S72.064R	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.064S	Nondisplaced articular fracture of head of right femur, sequela
S72.065A	Nondisplaced articular fracture of head of left femur, initial encounter for closed fracture
S72.065B	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type I or II
S72.065C	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.065D	Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with routine healing
S72.065E	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.065F	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.065G	Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with delayed healing
S72.065H	Nondisplaced articular fracture of head of left femur, subsequent encounter for open

ICD-10 CODE	DESCRIPTION
	fracture type I or II with delayed healing
S72.065J	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.065K	Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with nonunion
S72.065M	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.065N	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.065P	Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with malunion
S72.065Q	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion
S72.065R	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.065S	Nondisplaced articular fracture of head of left femur, sequela
S72.066A	Nondisplaced articular fracture of head of unspecified femur, initial encounter for closed fracture
S72.066B	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II
S72.066C	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.066D	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.066E	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.066F	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.066G	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.066H	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.066J	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.066K	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.066M	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter

ICD-10 CODE	DESCRIPTION
	for open fracture type I or II with nonunion
S72.066N	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.066P	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with malunion
S72.066Q	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.066R	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.066S	Nondisplaced articular fracture of head of unspecified femur, sequela
S72.091A	Other fracture of head and neck of right femur, initial encounter for closed fracture
S72.091B	Other fracture of head and neck of right femur, initial encounter for open fracture type I or II
S72.091C	Other fracture of head and neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.091D	Other fracture of head and neck of right femur, subsequent encounter for closed fracture with routine healing
S72.091E	Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.091F	Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.091G	Other fracture of head and neck of right femur, subsequent encounter for closed fracture with delayed healing
S72.091H	Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.091J	Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.091K	Other fracture of head and neck of right femur, subsequent encounter for closed fracture with nonunion
S72.091M	Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.091N	Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.091P	Other fracture of head and neck of right femur, subsequent encounter for closed fracture with malunion
S72.091Q	Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with malunion

ICD-10 CODE	DESCRIPTION
S72.091R	Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.091S	Other fracture of head and neck of right femur, sequela
S72.092A	Other fracture of head and neck of left femur, initial encounter for closed fracture
S72.092B	Other fracture of head and neck of left femur, initial encounter for open fracture type I or II
S72.092C	Other fracture of head and neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.092D	Other fracture of head and neck of left femur, subsequent encounter for closed fracture with routine healing
S72.092E	Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.092F	Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.092G	Other fracture of head and neck of left femur, subsequent encounter for closed fracture with delayed healing
S72.092H	Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.092J	Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.092K	Other fracture of head and neck of left femur, subsequent encounter for closed fracture with nonunion
S72.092M	Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.092N	Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.092P	Other fracture of head and neck of left femur, subsequent encounter for closed fracture with malunion
S72.092Q	Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with malunion
S72.092R	Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.092S	Other fracture of head and neck of left femur, sequela
S72.099A	Other fracture of head and neck of unspecified femur, initial encounter for closed fracture
S72.099B	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type I or II

ICD-10 CODE	DESCRIPTION
S72.099C	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.099D	Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.099E	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.099F	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.099G	Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.099H	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.099J	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.099K	Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.099M	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.099N	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.099P	Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with malunion
S72.099Q	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.099R	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.099S	Other fracture of head and neck of unspecified femur, sequela
S72.101A	Unspecified trochanteric fracture of right femur, initial encounter for closed fracture
S72.101B	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type I or II
S72.101C	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.101D	Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing
S72.101E	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.101F	Unspecified trochanteric fracture of right femur, subsequent encounter for open

ICD-10 CODE	DESCRIPTION
	fracture type IIIA, IIIB, or IIIC with routine healing
S72.101G	Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing
S72.101H	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10 CODE	DESCRIPTION
S72.101J	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.101K	Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion
S72.101M	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.101N	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.101P	Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with malunion
S72.101Q	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion
S72.101R	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.101S	Unspecified trochanteric fracture of right femur, sequela
S72.102A	Unspecified trochanteric fracture of left femur, initial encounter for closed fracture
S72.102B	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type I or II
S72.102C	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.102D	Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing
S72.102E	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.102F	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.102G	Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing
S72.102H	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing

ICD-10 CODE	DESCRIPTION
S72.102J	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.102K	Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion
S72.102M	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.102N	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.102P	Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with malunion
S72.102Q	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion
S72.102R	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.102S	Unspecified trochanteric fracture of left femur, sequela
S72.109A	Unspecified trochanteric fracture of unspecified femur, initial encounter for closed fracture
S72.109B	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type I or II
S72.109C	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.109D	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.109E	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.109F	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.109G	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.109H	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.109J	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.109K	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.109M	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion

ICD-10 CODE	DESCRIPTION
S72.109N	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.109P	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion
S72.109Q	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.109R	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.109S	Unspecified trochanteric fracture of unspecified femur, sequela
S72.111A	Displaced fracture of greater trochanter of right femur, initial encounter for closed fracture
S72.111B	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II
S72.111C	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.111D	Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with routine healing
S72.111E	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.111F	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.111G	Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with delayed healing
S72.111H	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.111J	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.111K	Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with nonunion
S72.111M	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.111N	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.111P	Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with malunion
S72.111Q	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with malunion

ICD-10 CODE	DESCRIPTION
S72.111R	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.111S	Displaced fracture of greater trochanter of right femur, sequela
S72.112A	Displaced fracture of greater trochanter of left femur, initial encounter for closed fracture
S72.112B	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II
S72.112C	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.112D	Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with routine healing
S72.112E	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.112F	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.112G	Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with delayed healing
S72.112H	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.112J	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.112K	Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with nonunion
S72.112M	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.112N	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.112P	Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with malunion
S72.112Q	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with malunion
S72.112R	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.112S	Displaced fracture of greater trochanter of left femur, sequela
S72.113A	Displaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture
S72.113B	Displaced fracture of greater trochanter of unspecified femur, initial encounter for

ICD-10 CODE	DESCRIPTION
	open fracture type I or II
S72.113C	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.113D	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.113E	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.113F	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.113G	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.113H	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.113J	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.113K	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.113M	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.113N	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.113P	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with malunion
S72.113Q	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.113R	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.113S	Displaced fracture of greater trochanter of unspecified femur, sequela
S72.114A	Nondisplaced fracture of greater trochanter of right femur, initial encounter for closed fracture
S72.114B	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II
S72.114C	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.114D	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with routine healing
S72.114E	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter

ICD-10 CODE	DESCRIPTION
	for open fracture type I or II with routine healing
S72.114F	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.114G	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with delayed healing
S72.114H	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.114J	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.114K	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with nonunion
S72.114M	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.114N	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10 CODE	DESCRIPTION
S72.114P	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with malunion
S72.114Q	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with malunion
S72.114R	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.114S	Nondisplaced fracture of greater trochanter of right femur, sequela
S72.115A	Nondisplaced fracture of greater trochanter of left femur, initial encounter for closed fracture
S72.115B	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II
S72.115C	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.115D	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with routine healing
S72.115E	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.115F	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.115G	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with delayed healing

ICD-10 CODE	DESCRIPTION
S72.115H	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.115J	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.115K	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with nonunion
S72.115M	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.115N	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.115P	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with malunion
S72.115Q	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with malunion
S72.115R	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.115S	Nondisplaced fracture of greater trochanter of left femur, sequela
S72.116A	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture
S72.116B	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II
S72.116C	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.116D	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.116E	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.116F	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.116G	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.116H	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.116J	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.116K	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion

ICD-10 CODE	DESCRIPTION
S72.116M	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.116N	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.116P	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with malunion
S72.116Q	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.116R	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.116S	Nondisplaced fracture of greater trochanter of unspecified femur, sequela
S72.121A	Displaced fracture of lesser trochanter of right femur, initial encounter for closed fracture
S72.121B	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II
S72.121C	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.121D	Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with routine healing
S72.121E	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.121F	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.121G	Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with delayed healing
S72.121H	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.121J	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.121K	Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with nonunion
S72.121M	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.121N	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.121P	Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with malunion

ICD-10 CODE	DESCRIPTION
S72.121Q	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with malunion
S72.121R	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.121S	Displaced fracture of lesser trochanter of right femur, sequela
S72.122A	Displaced fracture of lesser trochanter of left femur, initial encounter for closed fracture
S72.122B	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II
S72.122C	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.122D	Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with routine healing
S72.122E	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.122F	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.122G	Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with delayed healing
S72.122H	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.122J	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.122K	Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with nonunion
S72.122M	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.122N	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.122P	Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with malunion
S72.122Q	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with malunion
S72.122R	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.122S	Displaced fracture of lesser trochanter of left femur, sequela
S72.123A	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for

ICD-10 CODE	DESCRIPTION
	closed fracture
S72.123B	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II
S72.123C	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.123D	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.123E	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.123F	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.123G	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.123H	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.123J	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.123K	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.123M	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.123N	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.123P	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with malunion
S72.123Q	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.123R	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.123S	Displaced fracture of lesser trochanter of unspecified femur, sequela
S72.124A	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for closed fracture
S72.124B	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II
S72.124C	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.124D	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for

ICD-10 CODE	DESCRIPTION
	closed fracture with routine healing
S72.124E	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.124F	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.124G	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with delayed healing
S72.124H	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.124J	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.124K	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with nonunion
S72.124M	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.124N	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.124P	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with malunion
S72.124Q	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with malunion
S72.124R	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.124S	Nondisplaced fracture of lesser trochanter of right femur, sequela
ICD-10 CODE	DESCRIPTION
S72.125A	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for closed fracture
S72.125B	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II
S72.125C	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.125D	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with routine healing
S72.125E	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.125F	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing

ICD-10 CODE	DESCRIPTION
S72.125G	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with delayed healing
S72.125H	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.125J	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.125K	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with nonunion
S72.125M	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.125N	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.125P	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with malunion
S72.125Q	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with malunion
S72.125R	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.125S	Nondisplaced fracture of lesser trochanter of left femur, sequela
S72.126A	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture
S72.126B	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II
S72.126C	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.126D	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.126E	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.126F	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.126G	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.126H	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.126J	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing

ICD-10 CODE	DESCRIPTION
S72.126K	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.126M	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.126N	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.126P	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with malunion
S72.126Q	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.126R	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.126S	Nondisplaced fracture of lesser trochanter of unspecified femur, sequela
S72.131A	Displaced apophyseal fracture of right femur, initial encounter for closed fracture
S72.131B	Displaced apophyseal fracture of right femur, initial encounter for open fracture type I or II
S72.131C	Displaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.131D	Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with routine healing
S72.131E	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.131F	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.131G	Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with delayed healing
S72.131H	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.131J	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.131K	Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with nonunion
S72.131M	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.131N	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.131P	Displaced apophyseal fracture of right femur, subsequent encounter for closed

ICD-10 CODE	DESCRIPTION
	fracture with malunion
S72.131Q	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with malunion
S72.131R	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.131S	Displaced apophyseal fracture of right femur, sequela
S72.132A	Displaced apophyseal fracture of left femur, initial encounter for closed fracture
S72.132B	Displaced apophyseal fracture of left femur, initial encounter for open fracture type I or II
S72.132C	Displaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.132D	Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with routine healing
S72.132E	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.132F	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.132G	Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with delayed healing
S72.132H	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.132J	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.132K	Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with nonunion
S72.132M	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.132N	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.132P	Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with malunion
S72.132Q	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with malunion
S72.132R	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.132S	Displaced apophyseal fracture of left femur, sequela

ICD-10 CODE	DESCRIPTION
S72.133A	Displaced apophyseal fracture of unspecified femur, initial encounter for closed fracture
S72.133B	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II
S72.133C	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.133D	Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.133E	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.133F	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.133G	Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.133H	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.133J	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.133K	Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.133M	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.133N	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.133P	Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with malunion
S72.133Q	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.133R	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.133S	Displaced apophyseal fracture of unspecified femur, sequela
S72.134A	Nondisplaced apophyseal fracture of right femur, initial encounter for closed fracture
S72.134B	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type I or II
S72.134C	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.134D	Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed

ICD-10 CODE	DESCRIPTION
	fracture with routine healing
S72.134E	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.134F	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.134G	Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with delayed healing
S72.134H	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.134J	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.134K	Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with nonunion
S72.134M	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.134N	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.134P	Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with malunion
S72.134Q	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with malunion
S72.134R	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.134S	Nondisplaced apophyseal fracture of right femur, sequela
S72.135A	Nondisplaced apophyseal fracture of left femur, initial encounter for closed fracture
S72.135B	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type I or II
S72.135C	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.135D	Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with routine healing
ICD-10 CODE	DESCRIPTION
S72.135E	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.135F	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing

ICD-10 CODE	DESCRIPTION
S72.135G	Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with delayed healing
S72.135H	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.135J	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.135K	Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with nonunion
S72.135M	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.135N	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.135P	Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with malunion
S72.135Q	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with malunion
S72.135R	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.135S	Nondisplaced apophyseal fracture of left femur, sequela
S72.136A	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for closed fracture
S72.136B	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II
S72.136C	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.136D	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.136E	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.136F	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.136G	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.136H	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.136J	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing

ICD-10 CODE	DESCRIPTION
S72.136K	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.136M	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.136N	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.136P	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with malunion
S72.136Q	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.136R	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.136S	Nondisplaced apophyseal fracture of unspecified femur, sequela
S72.141A	Displaced intertrochanteric fracture of right femur, initial encounter for closed fracture
S72.141B	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II
S72.141C	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.141D	Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing
S72.141E	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.141F	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.141G	Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing
S72.141H	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.141J	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.141K	Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion
S72.141M	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.141N	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion

ICD-10 CODE	DESCRIPTION
S72.141P	Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion
S72.141Q	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion
S72.141R	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.141S	Displaced intertrochanteric fracture of right femur, sequela
S72.142A	Displaced intertrochanteric fracture of left femur, initial encounter for closed fracture
S72.142B	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II
S72.142C	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.142D	Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing
S72.142E	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.142F	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.142G	Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing
S72.142H	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.142J	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.142K	Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion
S72.142M	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.142N	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.142P	Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion
S72.142Q	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion
S72.142R	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.142S	Displaced intertrochanteric fracture of left femur, sequela

ICD-10 CODE	DESCRIPTION
S72.143A	Displaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture
S72.143B	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II
S72.143C	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.143D	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.143E	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.143F	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.143G	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.143H	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.143J	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.143K	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.143M	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.143N	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.143P	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion
S72.143Q	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.143R	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.143S	Displaced intertrochanteric fracture of unspecified femur, sequela
S72.144A	Nondisplaced intertrochanteric fracture of right femur, initial encounter for closed fracture
S72.144B	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II
S72.144C	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC

ICD-10 CODE	DESCRIPTION
S72.144D	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing
S72.144E	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.144F	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.144G	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing
S72.144H	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.144J	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.144K	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion
S72.144M	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.144N	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.144P	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion
S72.144Q	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion
S72.144R	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.144S	Nondisplaced intertrochanteric fracture of right femur, sequela
S72.145A	Nondisplaced intertrochanteric fracture of left femur, initial encounter for closed fracture
S72.145B	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II
S72.145C	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.145D	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing
S72.145E	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.145F	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing

ICD-10 CODE	DESCRIPTION
S72.145G	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing
S72.145H	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
ICD-10 CODE	DESCRIPTION
S72.145J	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.145K	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion
S72.145M	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.145N	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.145P	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion
S72.145Q	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion
S72.145R	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.145S	Nondisplaced intertrochanteric fracture of left femur, sequela
S72.146A	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture
S72.146B	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II
S72.146C	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.146D	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.146E	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.146F	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.146G	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.146H	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.146J	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter

ICD-10 CODE	DESCRIPTION
	for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.146K	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.146M	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.146N	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.146P	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion
S72.146Q	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.146R	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.146S	Nondisplaced intertrochanteric fracture of unspecified femur, sequela
S72.21XA	Displaced subtrochanteric fracture of right femur, initial encounter for closed fracture
S72.21XB	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II
S72.21XC	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.21XD	Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing
S72.21XE	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.21XF	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.21XG	Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing
S72.21XH	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.21XJ	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.21XK	Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion
S72.21XM	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.21XN	Displaced subtrochanteric fracture of right femur, subsequent encounter for open

ICD-10 CODE	DESCRIPTION
	fracture type IIIA, IIIB, or IIIC with nonunion
S72.21XP	Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion
S72.21XQ	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion
S72.21XR	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.21XS	Displaced subtrochanteric fracture of right femur, sequela
S72.22XA	Displaced subtrochanteric fracture of left femur, initial encounter for closed fracture
S72.22XB	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II
S72.22XC	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.22XD	Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing
S72.22XE	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.22XF	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.22XG	Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing
S72.22XH	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.22XJ	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.22XK	Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion
S72.22XM	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.22XN	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.22XP	Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion
S72.22XQ	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion
S72.22XR	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion

ICD-10 CODE	DESCRIPTION
S72.22XS	Displaced subtrochanteric fracture of left femur, sequela
S72.23XA	Displaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture
S72.23XB	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II
S72.23XC	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.23XD	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.23XE	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.23XF	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.23XG	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.23XH	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.23XJ	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.23XK	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.23XM	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.23XN	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.23XP	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion
S72.23XQ	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.23XR	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.23XS	Displaced subtrochanteric fracture of unspecified femur, sequela
S72.24XA	Nondisplaced subtrochanteric fracture of right femur, initial encounter for closed fracture
S72.24XB	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II
S72.24XC	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open

ICD-10 CODE	DESCRIPTION
	fracture type IIIA, IIIB, or IIIC
S72.24XD	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing
S72.24XE	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.24XF	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.24XG	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing
S72.24XH	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.24XJ	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.24XK	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion
S72.24XM	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion
S72.24XN	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.24XP	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion
S72.24XQ	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion
S72.24XR	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.24XS	Nondisplaced subtrochanteric fracture of right femur, sequela
S72.25XA	Nondisplaced subtrochanteric fracture of left femur, initial encounter for closed fracture
S72.25XB	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II
S72.25XC	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.25XD	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing
S72.25XE	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing
S72.25XF	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open

ICD-10 CODE	DESCRIPTION
	fracture type IIIA, IIIB, or IIIC with routine healing
S72.25XG	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing
S72.25XH	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing
S72.25XJ	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.25XK	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion
S72.25XM	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion
S72.25XN	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
ICD-10 CODE	DESCRIPTION
S72.25XP	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion
S72.25XQ	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion
S72.25XR	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.25XS	Nondisplaced subtrochanteric fracture of left femur, sequela
S72.26XA	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture
S72.26XB	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II
S72.26XC	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.26XD	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.26XE	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.26XF	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.26XG	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.26XH	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing

ICD-10 CODE	DESCRIPTION
S72.26XJ	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.26XK	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion
S72.26XM	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.26XN	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.26XP	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion
S72.26XQ	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.26XR	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.26XS	Nondisplaced subtrochanteric fracture of unspecified femur, sequela
S72.466A	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture
S72.466B	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II
S72.466C	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.466D	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing
S72.466E	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing
S72.466F	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.466G	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing
S72.466H	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing
S72.466J	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.466K	Nondisplaced supracondylar fracture with intracondylar extension of lower end of

ICD-10 CODE	DESCRIPTION
	unspecified femur, subsequent encounter for closed fracture with nonunion
S72.466M	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion
S72.466N	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.466P	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with malunion
S72.466Q	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion
S72.466R	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.466S	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, sequela
S72.91XA	Unspecified fracture of right femur, initial encounter for closed fracture
S72.91XB	Unspecified fracture of right femur, initial encounter for open fracture type I or II
S72.91XC	Unspecified fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC
S72.91XD	Unspecified fracture of right femur, subsequent encounter for closed fracture with routine healing
S72.91XE	Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with routine healing
S72.91XF	Unspecified fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing
S72.91XG	Unspecified fracture of right femur, subsequent encounter for closed fracture with delayed healing
S72.91XH	Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing
S72.91XJ	Unspecified fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing
S72.91XK	Unspecified fracture of right femur, subsequent encounter for closed fracture with nonunion
S72.91XM	Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with nonunion

ICD-10 CODE	DESCRIPTION
S72.91XN	Unspecified fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion
S72.91XP	Unspecified fracture of right femur, subsequent encounter for closed fracture with malunion
S72.91XQ	Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with malunion
S72.91XR	Unspecified fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion
S72.91XS	Unspecified fracture of right femur, sequela
S79.001A	Unspecified physeal fracture of upper end of right femur, initial encounter for closed fracture
S79.001D	Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with routine healing
S79.001G	Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing
S79.001K	Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with nonunion
S79.001P	Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with malunion
S79.001S	Unspecified physeal fracture of upper end of right femur, sequela
S79.002A	Unspecified physeal fracture of upper end of left femur, initial encounter for closed fracture
S79.002D	Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with routine healing
S79.002G	Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing
S79.002K	Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with nonunion
S79.002P	Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with malunion
S79.002S	Unspecified physeal fracture of upper end of left femur, sequela
S79.009A	Unspecified physeal fracture of upper end of unspecified femur, initial encounter for closed fracture
S79.009D	Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with routine healing
S79.009G	Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing

ICD-10 CODE	DESCRIPTION
S79.009K	Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with nonunion
S79.009P	Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with malunion
S79.009S	Unspecified physeal fracture of upper end of unspecified femur, sequela
S79.011A	Salter-Harris Type I physeal fracture of upper end of right femur, initial encounter for closed fracture
S79.011D	Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with routine healing
S79.011G	Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing
S79.011K	Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with nonunion
S79.011P	Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with malunion
S79.011S	Salter-Harris Type I physeal fracture of upper end of right femur, sequela
S79.012A	Salter-Harris Type I physeal fracture of upper end of left femur, initial encounter for closed fracture
S79.012D	Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with routine healing
S79.012G	Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing
S79.012K	Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with nonunion
S79.012P	Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with malunion
S79.012S	Salter-Harris Type I physeal fracture of upper end of left femur, sequela
S79.019A	Salter-Harris Type I physeal fracture of upper end of unspecified femur, initial encounter for closed fracture
S79.019D	Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with routine healing
S79.019G	Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing
S79.019K	Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with nonunion
S79.019P	Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with malunion

ICD-10 CODE	DESCRIPTION
S79.019S	Salter-Harris Type I physeal fracture of upper end of unspecified femur, sequela
S79.091A	Other physeal fracture of upper end of right femur, initial encounter for closed fracture
S79.091D	Other physeal fracture of upper end of right femur, subsequent encounter for fracture with routine healing
S79.091G	Other physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing
S79.091K	Other physeal fracture of upper end of right femur, subsequent encounter for fracture with nonunion
S79.091P	Other physeal fracture of upper end of right femur, subsequent encounter for fracture with malunion
S79.091S	Other physeal fracture of upper end of right femur, sequela
S79.092A	Other physeal fracture of upper end of left femur, initial encounter for closed fracture
S79.092D	Other physeal fracture of upper end of left femur, subsequent encounter for fracture with routine healing
S79.092G	Other physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing
S79.092K	Other physeal fracture of upper end of left femur, subsequent encounter for fracture with nonunion
S79.092P	Other physeal fracture of upper end of left femur, subsequent encounter for fracture with malunion
S79.092S	Other physeal fracture of upper end of left femur, sequela
ICD-10 CODE	DESCRIPTION
S79.099A	Other physeal fracture of upper end of unspecified femur, initial encounter for closed fracture
S79.099D	Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with routine healing
S79.099G	Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing
S79.099K	Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with nonunion
S79.099P	Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with malunion
S79.099S	Other physeal fracture of upper end of unspecified femur, sequela
T84.010A	Broken internal right hip prosthesis, initial encounter

ICD-10 CODE	DESCRIPTION
T84.010D	Broken internal right hip prosthesis, subsequent encounter
T84.010S	Broken internal right hip prosthesis, sequela
T84.011A	Broken internal left hip prosthesis, initial encounter
T84.011D	Broken internal left hip prosthesis, subsequent encounter
T84.011S	Broken internal left hip prosthesis, sequela
T84.020A	Dislocation of internal right hip prosthesis, initial encounter
T84.020D	Dislocation of internal right hip prosthesis, subsequent encounter
T84.020S	Dislocation of internal right hip prosthesis, sequela
T84.021A	Dislocation of internal left hip prosthesis, initial encounter
T84.021D	Dislocation of internal left hip prosthesis, subsequent encounter
T84.021S	Dislocation of internal left hip prosthesis, sequela
T84.030A	Mechanical loosening of internal right hip prosthetic joint, initial encounter
T84.030D	Mechanical loosening of internal right hip prosthetic joint, subsequent encounter
T84.030S	Mechanical loosening of internal right hip prosthetic joint, sequela
T84.031A	Mechanical loosening of internal left hip prosthetic joint, initial encounter
T84.031D	Mechanical loosening of internal left hip prosthetic joint, subsequent encounter
T84.031S	Mechanical loosening of internal left hip prosthetic joint, sequela
T84.050A	Periprosthetic osteolysis of internal prosthetic right hip joint, initial encounter
T84.050D	Periprosthetic osteolysis of internal prosthetic right hip joint, subsequent encounter
T84.050S	Periprosthetic osteolysis of internal prosthetic right hip joint, sequela
T84.051A	Periprosthetic osteolysis of internal prosthetic left hip joint, initial encounter
T84.051D	Periprosthetic osteolysis of internal prosthetic left hip joint, subsequent encounter
T84.051S	Periprosthetic osteolysis of internal prosthetic left hip joint, sequela
T84.060A	Wear of articular bearing surface of internal prosthetic right hip joint, initial encounter
T84.060D	Wear of articular bearing surface of internal prosthetic right hip joint, subsequent encounter
T84.060S	Wear of articular bearing surface of internal prosthetic right hip joint, sequela
T84.061A	Wear of articular bearing surface of internal prosthetic left hip joint, initial encounter
T84.061D	Wear of articular bearing surface of internal prosthetic left hip joint, subsequent encounter
T84.061S	Wear of articular bearing surface of internal prosthetic left hip joint, sequela
T84.090A	Other mechanical complication of internal right hip prosthesis, initial encounter

ICD-10 CODE	DESCRIPTION
T84.090D	Other mechanical complication of internal right hip prosthesis, subsequent encounter
T84.090S	Other mechanical complication of internal right hip prosthesis, sequela
T84.091A	Other mechanical complication of internal left hip prosthesis, initial encounter
T84.091D	Other mechanical complication of internal left hip prosthesis, subsequent encounter
T84.091S	Other mechanical complication of internal left hip prosthesis, sequela
T84.114A	Breakdown (mechanical) of internal fixation device of right femur, initial encounter
T84.114D	Breakdown (mechanical) of internal fixation device of right femur, subsequent encounter
T84.114S	Breakdown (mechanical) of internal fixation device of right femur, sequela
T84.115A	Breakdown (mechanical) of internal fixation device of left femur, initial encounter
T84.115D	Breakdown (mechanical) of internal fixation device of left femur, subsequent encounter
T84.115S	Breakdown (mechanical) of internal fixation device of left femur, sequela
T84.124A	Displacement of internal fixation device of right femur, initial encounter
T84.124D	Displacement of internal fixation device of right femur, subsequent encounter
T84.124S	Displacement of internal fixation device of right femur, sequela
T84.125A	Displacement of internal fixation device of left femur, initial encounter
T84.125D	Displacement of internal fixation device of left femur, subsequent encounter
T84.125S	Displacement of internal fixation device of left femur, sequela
T84.194A	Other mechanical complication of internal fixation device of right femur, initial encounter
T84.194D	Other mechanical complication of internal fixation device of right femur, subsequent encounter
T84.194S	Other mechanical complication of internal fixation device of right femur, sequela
T84.195A	Other mechanical complication of internal fixation device of left femur, initial encounter
T84.195D	Other mechanical complication of internal fixation device of left femur, subsequent encounter
T84.195S	Other mechanical complication of internal fixation device of left femur, sequela
T84.310A	Breakdown (mechanical) of electronic bone stimulator, initial encounter
T84.310D	Breakdown (mechanical) of electronic bone stimulator, subsequent encounter
T84.310S	Breakdown (mechanical) of electronic bone stimulator, sequela
T84.318A	Breakdown (mechanical) of other bone devices, implants and grafts, initial

ICD-10 CODE	DESCRIPTION
	encounter
T84.318D	Breakdown (mechanical) of other bone devices, implants and grafts, subsequent encounter
T84.318S	Breakdown (mechanical) of other bone devices, implants and grafts, sequela
T84.320A	Displacement of electronic bone stimulator, initial encounter
T84.320D	Displacement of electronic bone stimulator, subsequent encounter
T84.320S	Displacement of electronic bone stimulator, sequela
T84.328A	Displacement of other bone devices, implants and grafts, initial encounter
T84.328D	Displacement of other bone devices, implants and grafts, subsequent encounter
T84.328S	Displacement of other bone devices, implants and grafts, sequela
T84.390A	Other mechanical complication of electronic bone stimulator, initial encounter
T84.390D	Other mechanical complication of electronic bone stimulator, subsequent encounter
T84.390S	Other mechanical complication of electronic bone stimulator, sequela
T84.398A	Other mechanical complication of other bone devices, implants and grafts, initial encounter
T84.398D	Other mechanical complication of other bone devices, implants and grafts, subsequent encounter
T84.398S	Other mechanical complication of other bone devices, implants and grafts, sequela
T84.418A	Breakdown (mechanical) of other internal orthopedic devices, implants and grafts, initial encounter
T84.418D	Breakdown (mechanical) of other internal orthopedic devices, implants and grafts, subsequent encounter
T84.418S	Breakdown (mechanical) of other internal orthopedic devices, implants and grafts, sequela
T84.428A	Displacement of other internal orthopedic devices, implants and grafts, initial encounter
T84.428D	Displacement of other internal orthopedic devices, implants and grafts, subsequent encounter
T84.428S	Displacement of other internal orthopedic devices, implants and grafts, sequela
T84.498A	Other mechanical complication of other internal orthopedic devices, implants and grafts, initial encounter
T84.498D	Other mechanical complication of other internal orthopedic devices, implants and grafts, subsequent encounter
T84.498S	Other mechanical complication of other internal orthopedic devices, implants and grafts, sequela

ICD-10 CODE	DESCRIPTION
T84.51XA	Infection and inflammatory reaction due to internal right hip prosthesis, initial encounter
T84.51XD	Infection and inflammatory reaction due to internal right hip prosthesis, subsequent encounter
T84.51XS	Infection and inflammatory reaction due to internal right hip prosthesis, sequela
T84.52XA	Infection and inflammatory reaction due to internal left hip prosthesis, initial encounter
T84.52XD	Infection and inflammatory reaction due to internal left hip prosthesis, subsequent encounter
T84.52XS	Infection and inflammatory reaction due to internal left hip prosthesis, sequela
Z47.32	Aftercare following explantation of hip joint prosthesis
Z89.621	Acquired absence of right hip joint
Z89.622	Acquired absence of left hip joint
Z96.641	Presence of right artificial hip joint
Z96.642	Presence of left artificial hip joint
Z96.643	Presence of artificial hip joint, bilateral
Z96.649	Presence of unspecified artificial hip joint
ICD-10 CODE	DESCRIPTION

Group 2 Paragraph:

The following ICD-10-CM codes support medical necessity and provide limited coverage for the Total Knee Arthroplasty ICD-10-PCS codes and CPT codes: 27445, 27447, 27486, and 27487

It is the provider's responsibility to select codes carried out to the highest level of specificity and selected from the ICD-10-CM code book appropriate to the year in which the service is rendered for the claim(s) submitted.

Group 2 Codes:

ICD-10 CODE	DESCRIPTION
C40.20	Malignant neoplasm of long bones of unspecified lower limb
C40.21	Malignant neoplasm of long bones of right lower limb
C40.22	Malignant neoplasm of long bones of left lower limb
C47.20	Malignant neoplasm of peripheral nerves of unspecified lower limb, including hip
C47.21	Malignant neoplasm of peripheral nerves of right lower limb, including hip
C47.22	Malignant neoplasm of peripheral nerves of left lower limb, including hip
C49.20	Malignant neoplasm of connective and soft tissue of unspecified lower limb, including hip

ICD-10 CODE	DESCRIPTION
C49.21	Malignant neoplasm of connective and soft tissue of right lower limb, including hip
C49.22	Malignant neoplasm of connective and soft tissue of left lower limb, including hip
D16.20	Benign neoplasm of long bones of unspecified lower limb
D16.21	Benign neoplasm of long bones of right lower limb
D16.22	Benign neoplasm of long bones of left lower limb
D21.20	Benign neoplasm of connective and other soft tissue of unspecified lower limb, including hip
D21.21	Benign neoplasm of connective and other soft tissue of right lower limb, including hip
D21.22	Benign neoplasm of connective and other soft tissue of left lower limb, including hip
M05.461	Rheumatoid myopathy with rheumatoid arthritis of right knee
M05.462	Rheumatoid myopathy with rheumatoid arthritis of left knee
M05.469	Rheumatoid myopathy with rheumatoid arthritis of unspecified knee
M05.561	Rheumatoid polyneuropathy with rheumatoid arthritis of right knee
M05.562	Rheumatoid polyneuropathy with rheumatoid arthritis of left knee
M05.569	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified knee
M05.59	Rheumatoid polyneuropathy with rheumatoid arthritis of multiple sites
M05.761	Rheumatoid arthritis with rheumatoid factor of right knee without organ or systems involvement
M05.762	Rheumatoid arthritis with rheumatoid factor of left knee without organ or systems involvement
M05.769	Rheumatoid arthritis with rheumatoid factor of unspecified knee without organ or systems involvement
M05.79	Rheumatoid arthritis with rheumatoid factor of multiple sites without organ or systems involvement
M05.861	Other rheumatoid arthritis with rheumatoid factor of right knee
M05.862	Other rheumatoid arthritis with rheumatoid factor of left knee
M05.869	Other rheumatoid arthritis with rheumatoid factor of unspecified knee
M06.061	Rheumatoid arthritis without rheumatoid factor, right knee
M06.062	Rheumatoid arthritis without rheumatoid factor, left knee
M06.069	Rheumatoid arthritis without rheumatoid factor, unspecified knee
M06.261	Rheumatoid bursitis, right knee
M06.262	Rheumatoid bursitis, left knee

ICD-10 CODE	DESCRIPTION
M06.269	Rheumatoid bursitis, unspecified knee
M06.361	Rheumatoid nodule, right knee
M06.362	Rheumatoid nodule, left knee
M06.369	Rheumatoid nodule, unspecified knee
M06.861	Other specified rheumatoid arthritis, right knee
M06.862	Other specified rheumatoid arthritis, left knee
M06.869	Other specified rheumatoid arthritis, unspecified knee
M08.061	Unspecified juvenile rheumatoid arthritis, right knee
M08.062	Unspecified juvenile rheumatoid arthritis, left knee
M08.069	Unspecified juvenile rheumatoid arthritis, unspecified knee
M08.261	Juvenile rheumatoid arthritis with systemic onset, right knee
M08.262	Juvenile rheumatoid arthritis with systemic onset, left knee
M08.269	Juvenile rheumatoid arthritis with systemic onset, unspecified knee
M08.461	Pauciarticular juvenile rheumatoid arthritis, right knee
M08.462	Pauciarticular juvenile rheumatoid arthritis, left knee
M08.469	Pauciarticular juvenile rheumatoid arthritis, unspecified knee
M08.861	Other juvenile arthritis, right knee
M08.862	Other juvenile arthritis, left knee
M08.869	Other juvenile arthritis, unspecified knee
M08.961	Juvenile arthritis, unspecified, right knee
M08.962	Juvenile arthritis, unspecified, left knee
M08.969	Juvenile arthritis, unspecified, unspecified knee
M12.561	Traumatic arthropathy, right knee
M12.562	Traumatic arthropathy, left knee
M12.569	Traumatic arthropathy, unspecified knee
M17.0	Bilateral primary osteoarthritis of knee
M17.10	Unilateral primary osteoarthritis, unspecified knee
M17.11	Unilateral primary osteoarthritis, right knee
M17.12	Unilateral primary osteoarthritis, left knee
M17.2	Bilateral post-traumatic osteoarthritis of knee
M17.30	Unilateral post-traumatic osteoarthritis, unspecified knee
M17.31	Unilateral post-traumatic osteoarthritis, right knee

ICD-10 CODE	DESCRIPTION
M17.32	Unilateral post-traumatic osteoarthritis, left knee
M17.4	Other bilateral secondary osteoarthritis of knee
M17.5	Other unilateral secondary osteoarthritis of knee
M17.9	Osteoarthritis of knee, unspecified
M23.50	Chronic instability of knee, unspecified knee
M23.51	Chronic instability of knee, right knee
M23.52	Chronic instability of knee, left knee
M24.661	Ankylosis, right knee
M24.662	Ankylosis, left knee
M24.669	Ankylosis, unspecified knee
M25.261	Flail joint, right knee
M25.262	Flail joint, left knee
M25.269	Flail joint, unspecified knee
M25.361	Other instability, right knee
M25.362	Other instability, left knee
M25.369	Other instability, unspecified knee
M25.561	Pain in right knee
M25.562	Pain in left knee
M25.569	Pain in unspecified knee
M25.861	Other specified joint disorders, right knee
M25.862	Other specified joint disorders, left knee
M25.869	Other specified joint disorders, unspecified knee
M87.051	Idiopathic aseptic necrosis of right femur
M87.052	Idiopathic aseptic necrosis of left femur
M87.059	Idiopathic aseptic necrosis of unspecified femur
M87.151	Osteonecrosis due to drugs, right femur
M87.152	Osteonecrosis due to drugs, left femur
M87.159	Osteonecrosis due to drugs, unspecified femur
M87.251	Osteonecrosis due to previous trauma, right femur
M87.252	Osteonecrosis due to previous trauma, left femur
M87.256	Osteonecrosis due to previous trauma, unspecified femur
M87.351	Other secondary osteonecrosis, right femur

ICD-10 CODE	DESCRIPTION
M87.352	Other secondary osteonecrosis, left femur
M87.353	Other secondary osteonecrosis, unspecified femur
M87.851	Other osteonecrosis, right femur
ICD-10 CODE	DESCRIPTION
M87.852	Other osteonecrosis, left femur
M87.859	Other osteonecrosis, unspecified femur
M96.661	Fracture of femur following insertion of orthopedic implant, joint prosthesis, or bone plate, right leg
M96.662	Fracture of femur following insertion of orthopedic implant, joint prosthesis, or bone plate, left leg
M96.669	Fracture of femur following insertion of orthopedic implant, joint prosthesis, or bone plate, unspecified leg
M96.671	Fracture of tibia or fibula following insertion of orthopedic implant, joint prosthesis, or bone plate, right leg
M96.672	Fracture of tibia or fibula following insertion of orthopedic implant, joint prosthesis, or bone plate, left leg
M96.679	Fracture of tibia or fibula following insertion of orthopedic implant, joint prosthesis, or bone plate, unspecified leg
M97.11XA	Periprosthetic fracture around internal prosthetic right knee joint, initial encounter
M97.11XD	Periprosthetic fracture around internal prosthetic right knee joint, subsequent encounter
M97.11XS	Periprosthetic fracture around internal prosthetic right knee joint, sequela
M97.12XA	Periprosthetic fracture around internal prosthetic left knee joint, initial encounter
M97.12XD	Periprosthetic fracture around internal prosthetic left knee joint, subsequent encounter
M97.12XS	Periprosthetic fracture around internal prosthetic left knee joint, sequela
T84.012A	Broken internal right knee prosthesis, initial encounter
T84.012D	Broken internal right knee prosthesis, subsequent encounter
T84.012S	Broken internal right knee prosthesis, sequela
T84.013A	Broken internal left knee prosthesis, initial encounter
T84.013D	Broken internal left knee prosthesis, subsequent encounter
T84.013S	Broken internal left knee prosthesis, sequela
T84.022A	Instability of internal right knee prosthesis, initial encounter
T84.022D	Instability of internal right knee prosthesis, subsequent encounter

ICD-10 CODE	DESCRIPTION
T84.022S	Instability of internal right knee prosthesis, sequela
T84.023A	Instability of internal left knee prosthesis, initial encounter
T84.023D	Instability of internal left knee prosthesis, subsequent encounter
T84.023S	Instability of internal left knee prosthesis, sequela
T84.032A	Mechanical loosening of internal right knee prosthetic joint, initial encounter
T84.032D	Mechanical loosening of internal right knee prosthetic joint, subsequent encounter
T84.032S	Mechanical loosening of internal right knee prosthetic joint, sequela
T84.033A	Mechanical loosening of internal left knee prosthetic joint, initial encounter
T84.033D	Mechanical loosening of internal left knee prosthetic joint, subsequent encounter
T84.033S	Mechanical loosening of internal left knee prosthetic joint, sequela
T84.052A	Periprosthetic osteolysis of internal prosthetic right knee joint, initial encounter
T84.052D	Periprosthetic osteolysis of internal prosthetic right knee joint, subsequent encounter
T84.052S	Periprosthetic osteolysis of internal prosthetic right knee joint, sequela
T84.053A	Periprosthetic osteolysis of internal prosthetic left knee joint, initial encounter
T84.053D	Periprosthetic osteolysis of internal prosthetic left knee joint, subsequent encounter
T84.053S	Periprosthetic osteolysis of internal prosthetic left knee joint, sequela
T84.062A	Wear of articular bearing surface of internal prosthetic right knee joint, initial encounter
T84.062D	Wear of articular bearing surface of internal prosthetic right knee joint, subsequent encounter
T84.062S	Wear of articular bearing surface of internal prosthetic right knee joint, sequela
T84.063A	Wear of articular bearing surface of internal prosthetic left knee joint, initial encounter
T84.063D	Wear of articular bearing surface of internal prosthetic left knee joint, subsequent encounter
T84.063S	Wear of articular bearing surface of internal prosthetic left knee joint, sequela
T84.092A	Other mechanical complication of internal right knee prosthesis, initial encounter
T84.092D	Other mechanical complication of internal right knee prosthesis, subsequent encounter
T84.092S	Other mechanical complication of internal right knee prosthesis, sequela
T84.093A	Other mechanical complication of internal left knee prosthesis, initial encounter
T84.093D	Other mechanical complication of internal left knee prosthesis, subsequent encounter

ICD-10 CODE	DESCRIPTION
T84.093S	Other mechanical complication of internal left knee prosthesis, sequela
T84.114A	Breakdown (mechanical) of internal fixation device of right femur, initial encounter
T84.114D	Breakdown (mechanical) of internal fixation device of right femur, subsequent encounter
T84.114S	Breakdown (mechanical) of internal fixation device of right femur, sequela
T84.115A	Breakdown (mechanical) of internal fixation device of left femur, initial encounter
T84.115D	Breakdown (mechanical) of internal fixation device of left femur, subsequent encounter
T84.115S	Breakdown (mechanical) of internal fixation device of left femur, sequela
T84.116A	Breakdown (mechanical) of internal fixation device of bone of right lower leg, initial encounter
T84.116D	Breakdown (mechanical) of internal fixation device of bone of right lower leg, subsequent encounter
T84.116S	Breakdown (mechanical) of internal fixation device of bone of right lower leg, sequela
T84.117A	Breakdown (mechanical) of internal fixation device of bone of left lower leg, initial encounter
T84.117D	Breakdown (mechanical) of internal fixation device of bone of left lower leg, subsequent encounter
T84.117S	Breakdown (mechanical) of internal fixation device of bone of left lower leg, sequela
T84.124A	Displacement of internal fixation device of right femur, initial encounter
T84.124D	Displacement of internal fixation device of right femur, subsequent encounter
T84.124S	Displacement of internal fixation device of right femur, sequela
T84.125A	Displacement of internal fixation device of left femur, initial encounter
T84.125D	Displacement of internal fixation device of left femur, subsequent encounter
T84.125S	Displacement of internal fixation device of left femur, sequela
T84.126A	Displacement of internal fixation device of bone of right lower leg, initial encounter
T84.126D	Displacement of internal fixation device of bone of right lower leg, subsequent encounter
T84.126S	Displacement of internal fixation device of bone of right lower leg, sequela
T84.127A	Displacement of internal fixation device of bone of left lower leg, initial encounter
T84.127D	Displacement of internal fixation device of bone of left lower leg, subsequent encounter
T84.127S	Displacement of internal fixation device of bone of left lower leg, sequela

ICD-10 CODE	DESCRIPTION
T84.194A	Other mechanical complication of internal fixation device of right femur, initial encounter
T84.194D	Other mechanical complication of internal fixation device of right femur, subsequent encounter
T84.194S	Other mechanical complication of internal fixation device of right femur, sequela
T84.195A	Other mechanical complication of internal fixation device of left femur, initial encounter
T84.195D	Other mechanical complication of internal fixation device of left femur, subsequent encounter
T84.195S	Other mechanical complication of internal fixation device of left femur, sequela
T84.196A	Other mechanical complication of internal fixation device of bone of right lower leg, initial encounter
T84.196D	Other mechanical complication of internal fixation device of bone of right lower leg, subsequent encounter
T84.196S	Other mechanical complication of internal fixation device of bone of right lower leg, sequela
T84.197A	Other mechanical complication of internal fixation device of bone of left lower leg, initial encounter
T84.197D	Other mechanical complication of internal fixation device of bone of left lower leg, subsequent encounter
T84.197S	Other mechanical complication of internal fixation device of bone of left lower leg, sequela
T84.310A	Breakdown (mechanical) of electronic bone stimulator, initial encounter
T84.310D	Breakdown (mechanical) of electronic bone stimulator, subsequent encounter
T84.310S	Breakdown (mechanical) of electronic bone stimulator, sequela
T84.318A	Breakdown (mechanical) of other bone devices, implants and grafts, initial encounter
T84.318D	Breakdown (mechanical) of other bone devices, implants and grafts, subsequent encounter
T84.318S	Breakdown (mechanical) of other bone devices, implants and grafts, sequela
T84.320A	Displacement of electronic bone stimulator, initial encounter
T84.320D	Displacement of electronic bone stimulator, subsequent encounter
T84.320S	Displacement of electronic bone stimulator, sequela
T84.328A	Displacement of other bone devices, implants and grafts, initial encounter
T84.328D	Displacement of other bone devices, implants and grafts, subsequent encounter

ICD-10 CODE	DESCRIPTION
T84.328S	Displacement of other bone devices, implants and grafts, sequela
T84.390A	Other mechanical complication of electronic bone stimulator, initial encounter
T84.390D	Other mechanical complication of electronic bone stimulator, subsequent encounter
ICD-10 CODE	DESCRIPTION
T84.390S	Other mechanical complication of electronic bone stimulator, sequela
T84.398A	Other mechanical complication of other bone devices, implants and grafts, initial encounter
T84.398D	Other mechanical complication of other bone devices, implants and grafts, subsequent encounter
T84.398S	Other mechanical complication of other bone devices, implants and grafts, sequela
T84.418A	Breakdown (mechanical) of other internal orthopedic devices, implants and grafts, initial encounter
T84.418D	Breakdown (mechanical) of other internal orthopedic devices, implants and grafts, subsequent encounter
T84.418S	Breakdown (mechanical) of other internal orthopedic devices, implants and grafts, sequela
T84.428A	Displacement of other internal orthopedic devices, implants and grafts, initial encounter
T84.428D	Displacement of other internal orthopedic devices, implants and grafts, subsequent encounter
T84.428S	Displacement of other internal orthopedic devices, implants and grafts, sequela
T84.498A	Other mechanical complication of other internal orthopedic devices, implants and grafts, initial encounter
T84.498D	Other mechanical complication of other internal orthopedic devices, implants and grafts, subsequent encounter
T84.498S	Other mechanical complication of other internal orthopedic devices, implants and grafts, sequela
T84.53XA	Infection and inflammatory reaction due to internal right knee prosthesis, initial encounter
T84.53XD	Infection and inflammatory reaction due to internal right knee prosthesis, subsequent encounter
T84.53XS	Infection and inflammatory reaction due to internal right knee prosthesis, sequela
T84.54XA	Infection and inflammatory reaction due to internal left knee prosthesis, initial encounter
T84.54XD	Infection and inflammatory reaction due to internal left knee prosthesis, subsequent encounter

ICD-10 CODE	DESCRIPTION
T84.54XS	Infection and inflammatory reaction due to internal left knee prosthesis, sequela
Z47.33	Aftercare following explantation of knee joint prosthesis
Z89.521	Acquired absence of right knee
Z89.522	Acquired absence of left knee
Z96.651	Presence of right artificial knee joint
Z96.652	Presence of left artificial knee joint
Z96.653	Presence of artificial knee joint, bilateral
Z96.659	Presence of unspecified artificial knee joint

ICD-10 Codes that DO NOT Support Medical Necessity

Group 1 Paragraph:

All those not listed under the "ICD-10 Codes that Support Medical Necessity" section of this article.

Group 1 Codes:

ICD-10 CODE	DESCRIPTION
XX000	Not Applicable

Additional ICD-10 Information

N/A

Bill Type Codes:

Contractors may specify Bill Types to help providers identify those Bill Types typically used to report this service. Absence of a Bill Type does not guarantee that the policy does not apply to that Bill Type. Complete absence of all Bill Types indicates that coverage is not influenced by Bill Type and the policy should be assumed to apply equally to all claims.

CODE	DESCRIPTION
999x	Not Applicable

Revenue Codes:

Contractors may specify Revenue Codes to help providers identify those Revenue Codes typically used to report this service. In most instances Revenue Codes are purely advisory. Unless specified in the policy, services reported under other Revenue Codes are equally subject to this coverage determination. Complete absence of all Revenue Codes indicates that coverage is not influenced by Revenue Code and the policy should be assumed to apply equally to all Revenue Codes.

CODE	DESCRIPTION
99999	Not Applicable

Other Coding Information

N/A

Revision History Information

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
02/18/2020	R1	<p>Revision Number: 1 Publication: March 2020 Connection Connection LCR A/B2020-014</p> <p>Explanation of Revision: The Billing and Coding article was revised to add ICD-10-CM diagnosis codes T84.195A, T84.195D, and T84.195S to the "ICD-10 Codes that Support Medical Necessity/Group 1 Codes:" section. The effective date of this revision is for claims processed on or after 02/18/2020, for dates of service on or after 10/01/2015.</p>

Associated Documents

Related Local Coverage Document(s)

Article(s)

A57986 - Major joint replacement (hip and knee) revision to the Part A and Part B Billing and Coding Article

LCD(s)

L33618 - Major Joint Replacement (Hip and Knee)

Related National Coverage Document(s)

N/A

Statutory Requirements URL(s)

N/A

Rules and Regulations URL(s)

N/A

CMS Manual Explanations URL(s)

N/A

Other URL(s)

N/A

Public Version(s)

Updated on 02/20/2020 with effective dates 02/18/2020 - N/A

Updated on 11/21/2019 with effective dates 10/03/2018 - N/A

Keywords

N/A